

# pkgmaker: Unit testing results\*

Renaud Gaujoux

pkgmaker version 0.20 as of March 5, 2014

## 1 Details

```
RUNIT TEST PROTOCOL -- Wed Mar  5 12:27:03 2014
*****
```

```
Number of test functions: 6
Number of errors: 0
Number of failures: 0
```

```
1 Test Suite :
package:pkgmaker - 6 test functions, 0 errors, 0 failures
```

### Details

```
*****
```

```
Test Suite: package:pkgmaker
Test function regexp: ^test.
Test file regexp: ^runit.*[rR]$
Involved directory:
/tmp/Rpkglib_6bdd61d9aee8/pkgmaker/tests
```

```
-----
Test file: /tmp/Rpkglib_6bdd61d9aee8/pkgmaker/tests/runit.options.r
test.option_link: (12 checks) ... OK (0.01 seconds)
test.resetOptions: (9 checks) ... OK (0 seconds)
```

```
-----
Test file: /tmp/Rpkglib_6bdd61d9aee8/pkgmaker/tests/runit.utils.r
test.errorCheck: (8 checks) ... OK (0 seconds)
test.ExposeAttribute: (20 checks) ... OK (0.01 seconds)
test.str_bs: (7 checks) ... OK (0 seconds)
test.Sys.getenv_value: (6 checks) ... OK (0.01 seconds)
```

### Total execution time

```
*****
```

```
  user  system elapsed
0.204   0.000   0.205
```

---

\*Vignette computed on Wed Mar 5 12:27:03 2014

## Session Information

- R version 3.0.2 (2013-09-25), x86\_64-pc-linux-gnu
- Locale: LC\_CTYPE=en\_US.UTF-8, LC\_NUMERIC=C, LC\_TIME=en\_US.UTF-8, LC\_COLLATE=en\_US.UTF-8, LC\_MONETARY=en\_US.UTF-8, LC\_MESSAGES=en\_US.UTF-8, LC\_PAPER=en\_US.UTF-8, LC\_NAME=C, LC\_ADDRESS=C, LC\_TELEPHONE=C, LC\_MEASUREMENT=en\_US.UTF-8, LC\_IDENTIFICATION=C
- Base packages: base, datasets, graphics, grDevices, methods, stats, utils
- Other packages: pkgmaker 0.20, registry 0.2, RUnit 0.4.26, stringr 0.6.2
- Loaded via a namespace (and not attached): codetools 0.2-8, digest 0.6.4, tools 3.0.2, xtable 1.7-1