

Package ‘MCTrend’

July 21, 2025

Type Package
Title Monte Carlo Trend Analysis
Version 1.0.1
Date 2023-11-28
Description Application of a test to rule out that trends detected in hydrological time series are explained exclusively by the randomness of the climate. Based on: Ricchetti, (2018) <<https://repositorio.uchile.cl/handle/2250/168487>>.
License GPL-3
Encoding UTF-8
LazyData true
Imports trend, reshape2, ggplot2, magrittr, lmomco, dplyr
Suggests rmarkdown, knitr,
VignetteBuilder knitr
Depends R (>= 2.10)
RoxygenNote 7.2.3
NeedsCompilation no
Author Alonso Arriagada [aut, cre]
Maintainer Alonso Arriagada <alonso.arriagada@usach.cl>
Repository CRAN
Date/Publication 2023-12-01 14:40:03 UTC

Contents

example	2
MCTrend	2
Index	4

example	<i>example</i>
---------	----------------

Description

A data frame with annual max daily rainfall series

Usage

example

Format

A object with 30 rows and 34 variable:

example annual max daily rainfall in mm

MCTrend	<i>Monte Carlo Trend Analysis</i>
---------	-----------------------------------

Description

This function performs Monte Carlo trend analysis on input data and generates plots.

Usage

MCTrend(x, n_rep, plot_title, int = 0.25, opt)

Arguments

x	A data frame containing the input data. The first raw expected to contain model names or time series names.
n_rep	Number of replications for the Monte Carlo simulation.
plot_title	Title for the plot.
int	A number indicating lower threshold value of the interval within which no trend is defined, the upper value is calculated based on this value, by default a lower value of 0.25 is considered.
opt	A number indicating type of results, for opt = 1 returns test result, opt = 2 returns plot

Value

A data frame and a plot containing results of the trend analysis.

Examples

```
# file for example
file <- MCTrend::example

# Apply the test
MCTrend::MCTrend(x = file, n_rep = 100, plot_title = 'Precipitaciones', int = 0.1, opt = 1)

# plot of the result of the test
MCTrend::MCTrend(x = file, n_rep = 100, plot_title = 'Precipitaciones', int = 0.1, opt = 2)
```

Index

* **datasets**
 example, [2](#)

example, [2](#)

MCTrend, [2](#)