

Package ‘SBN’

July 21, 2025

Title Generate Stochastic Branching Networks

Version 1.0.0

Description Generate Stochastic Branching Networks ('SBNs'). Used to model the branching structure of rivers.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.1.2

Imports igraph, stats

URL <https://flee598.github.io/SBN/>

NeedsCompilation no

Author Finnbar Lee [aut, cre]

Maintainer Finnbar Lee <lee.finnbar@gmail.com>

Repository CRAN

Date/Publication 2022-01-17 19:42:42 UTC

Contents

sbn_change_dir	2
sbn_create	2
sbn_down_dir	3
sbn_get_downstream	4
sbn_get_hw	4
sbn_get_outlet	5
sbn_get_upstream	5
sbn_strahler	6
sbn_to_mtx	7

Index	8
--------------	----------

sbn_change_dir	<i>Change the upstream/downstream direction of an SBN</i>
----------------	---

Description

Change the upstream/downstream direction of an SBN to either, reversed or undirected.

Usage

```
sbn_change_dir(g, method = c("rev", "undir"))
```

Arguments

g	a river network as an igraph object. Must be a downstream directed graph.
method	one of "rev" or "undir", determining what to convert the network to.

Value

A river network as an igraph object.

Examples

```
g <- sbn_create(10, 0.7)
sbn_change_dir(g, method = "rev")
```

sbn_create	<i>Create SBNs</i>
------------	--------------------

Description

An SBN river network as a downstream directed igraph object.

Usage

```
sbn_create(n, p)
```

Arguments

n	desired number of nodes.
p	branching probability, from 0 - 1. Passed to <code>stats::rbinom()</code> , the probability of success in two attempts at adding upstream branches.

Details

SBNs are generated using a stochastic branching process. The network generation process starts from an initial downstream node (the river mouth). At each iteration a random node in the network, with no upstream connections is selected, and zero, one or two nodes are added upstream of it, depending on a branching probability (p). This process is repeated until a pre-determined number of nodes across the entire network is attained (n).

Value

A river network as an igraph object.

Examples

```
sbn_create(10, 0.7)
```

sbn_down_dir	<i>Convert to a downstream directed network</i>
--------------	---

Description

Convert an upstream directed or non-directed network to a downstream directed network.

Usage

```
sbn_down_dir(g, mouth)
```

Arguments

<code>g</code>	a river network as an igraph object.
<code>mouth</code>	river mouth vertex id.

Value

A downstream directed network.

Examples

```
g <- sbn_create(10, 0.7)

# to undirected
g <- sbn_change_dir(g, method = "undir")

# undirected to downstream directed
sbn_down_dir(g, mouth = 1)
```

sbn_get_downstream	<i>Find all downstream nodes</i>
--------------------	----------------------------------

Description

Find all nodes downstream of a given node.

Usage

```
sbn_get_downstream(g, node)
```

Arguments

g	a river network as an igraph object. Must be a downstream directed graph.
node	target node to get all downstream nodes of.

Value

a vector of downstream node id's.

Examples

```
g <- sbn_create(10, 0.7)
sbn_get_downstream(g, 10)
```

sbn_get_hw	<i>Find all headwater nodes</i>
------------	---------------------------------

Description

Find all headwater nodes in a network.

Usage

```
sbn_get_hw(g)
```

Arguments

g	a river network as an igraph object. Must be a downstream directed graph.
---	---

Value

A vector of headwater node id's.

Examples

```
g <- sbn_create(10, 0.7)
sbn_get_hw(g)
```

sbn_get_outlet	<i>Find river mouth node</i>
----------------	------------------------------

Description

Find river mouth node from a directed graph.

Usage

```
sbn_get_outlet(g)
```

Arguments

g a river network as an igraph object. Must be a downstream directed graph.

Value

An integer identifying the id of river mouth node.

Examples

```
g <- sbn_create(10, 0.7)
sbn_get_outlet(g)
```

sbn_get_upstream	<i>Find all nodes upstream of a given node</i>
------------------	--

Description

Find all nodes upstream of a given node.

Usage

```
sbn_get_upstream(g, node)
```

Arguments

g a river network as an igraph object. Must be a downstream directed graph.
node target node to get all upstream nodes of.

Value

A vector of upstream node id's.

Examples

```
g <- sbn_create(10, 0.7)
sbn_get_upstream(g, 2)
```

sbn_strahler	<i>Get node strahler order</i>
--------------	--------------------------------

Description

Calculate the reach (node) Strahler for all nodes in a river network. The function will not work if any of the nodes in the network have more than two adjacent upstream reaches (e.g. some networks generated by the OCNet package).

Usage

```
sbn_strahler(g)
```

Arguments

g a river network as an igraph object. Must be a downstream directed graph.

Value

a vector of stream Strahler orders.

Examples

```
g <- sbn_create(10, 0.7)
sbn_strahler(g)
```

Description

Convert a downstream directed SBN to various adjacency or distance matrix formats.

Usage

```
sbn_to_mtx(
  g,
  method = c("dwn_mtx", "undir_mtx", "up_mtx", "n2n_dist_up", "n2n_dist_dwn",
    "n2n_dist_undir"),
  unconnected = Inf,
  weights = NULL
)
```

Arguments

<code>g</code>	a river network as an igraph object. Must be a downstream directed graph.
<code>method</code>	one of "dwn_mtx", an adjacency matrix for a downstream directed SBN, "up_mtx", an adjacency matrix for an upstream directed SBN, "undir_mtx", an adjacency matrix for an undirected SBN, "n2n_dist_up", "n2n_dist_dwn" or "n2n_dist_undir", an adjacency matrix of upstream, downstream or undirected node to node distances.
<code>unconnected</code>	when generating node-to-node distance matrices, what value should be used for unconnected elements. For example, in a downstream directed network, all upstream links are considered unconnected. Default value is Inf but other options are possible, such as NA or 0.
<code>weights</code>	passed to <code>igraph::shortest.paths()</code> . Possibly a numeric vector giving edge weights. If this is NULL and the graph has a weight edge attribute, then the attribute is used. If this is NA then no weights are used (even if the graph has a weight attribute).

Value

An adjacency or distance matrix.

Examples

```
g <- sbn_create(10, 0.7)
sbn_to_mtx(g, method = "dwn_mtx")
```

Index

`igraph::shortest.paths()`, [7](#)

`sbn_change_dir`, [2](#)

`sbn_create`, [2](#)

`sbn_down_dir`, [3](#)

`sbn_get_downstream`, [4](#)

`sbn_get_hw`, [4](#)

`sbn_get_outlet`, [5](#)

`sbn_get_upstream`, [5](#)

`sbn_strahler`, [6](#)

`sbn_to_mtx`, [7](#)

`stats::rbinom()`, [2](#)