

Package ‘bvhar’

July 22, 2025

Type Package

Title Bayesian Vector Heterogeneous Autoregressive Modeling

Version 2.3.0

Description Tools to model and forecast multivariate time series including Bayesian Vector heterogeneous autoregressive (VHAR) model by Kim & Baek (2023) (<[doi:10.1080/00949655.2023.2281644](https://doi.org/10.1080/00949655.2023.2281644)>). 'bvhar' can model Vector Autoregressive (VAR), VHAR, Bayesian VAR (BVAR), and Bayesian VHAR (BVHAR) models.

License GPL (>= 3)

URL <https://yeunkim.github.io/package/bvhar/>,
<https://github.com/yeunkim/bvhar>

BugReports <https://github.com/yeunkim/bvhar/issues>

Suggests covr, knitr, parallel, rmarkdown, testthat (>= 3.0.0)

Encoding UTF-8

LazyData true

RoxygenNote 7.3.2

Imports lifecycle, Rcpp, ggplot2, tidyr, tibble, dplyr, foreach, purrr, stats, optimParallel, posterior, bayesplot, utils

LinkingTo BH (>= 1.87.0-0), Rcpp (>= 0.10.0), RcppEigen (>= 0.3.4.0.0), RcppSpdlog, RcppThread

VignetteBuilder knitr

Depends R (>= 4.2.0)

Config/testthat/edition 3

NeedsCompilation yes

Author Young Geun Kim [aut, cre, cph] (ORCID:
<<https://orcid.org/0000-0001-8651-1167>>),
Changryong Baek [ctb]

Maintainer Young Geun Kim <yeunkimstat@gmail.com>

Repository CRAN

Date/Publication 2025-06-25 06:20:02 UTC

Contents

alpl	3
autoplot.bvhardynsp	4
autoplot.bvharirf	5
autoplot.bvharsp	5
autoplot.normaliw	6
autoplot.predbvhar	7
autoplot.summary.bvharsp	8
autoplot.summary.normaliw	8
bound_bvhar	9
bvar_flat	10
bvar_minnesota	12
bvhar_minnesota	15
choose_bayes	18
choose_bvar	20
choose_var	22
coef	22
compute_dic	23
compute_logml	24
confusion	25
conf_fdr	26
conf_fnr	27
conf_fscore	28
conf_prec	29
conf_recall	30
divide_ts	31
dynamic_spillover	31
etf_vix	33
fitted	34
forecast_expand	35
forecast_roll	38
FPE	40
fromse	41
geom_eval	42
gg_loss	43
HQ	44
irf.varlse	45
is.stable	47
mae	48
mape	49
mase	50
mrae	51
mse	52
predict	53
print.summary.bvharsp	58
relmae	59
relspne	60

residuals	61
rmafe	61
rmape	63
rmase	64
rmsfe	65
set_bvar	66
set_dl	69
set_gdp	70
set_horseshoe	70
set_intercept	72
set_lambda	72
set_ldlt	74
set_ng	75
set_ssvs	76
sim_iw	78
sim_matgaussian	79
sim_mncoef	80
sim_mniw	81
sim_mnormal	82
sim_mnvhar_coef	83
sim_mvt	84
sim_var	85
sim_vhar	86
spillover	87
spne	88
stableroot	89
summary.normaliw	90
summary.varlse	92
summary.vharlse	93
VARtoVMA	95
var_bayes	96
var_lm	99
VHARtoVMA	102
vhar_bayes	103
vhar_lm	106

Index**109**

alpl

Evaluate the Density Forecast Based on Average Log Predictive Likelihood (APLP)

Description

This function computes ALPL given forecasting of Bayesian models.

Usage

```
alpl(x, ...)

## S3 method for class 'bvharcv'
alpl(x, ...)
```

Arguments

x	Out-of-sample forecasting object to use
...	Not used

autoplot.bvhardynsp	<i>Dynamic Spillover Indices Plot</i>
---------------------	---------------------------------------

Description

Draws dynamic directional spillover plot.

Usage

```
## S3 method for class 'bvhardynsp'
autoplot(
  object,
  type = c("tot", "to", "from", "net"),
  hcol = "grey",
  hsize = 1.5,
  row_facet = NULL,
  col_facet = NULL,
  ...
)
```

Arguments

object	A bvhardynsp object
type	Index to draw
hcol	color of horizontal line = 0 (By default, grey)
hsize	size of horizontal line = 0 (By default, 1.5)
row_facet	nrow of ggplot2::facet_wrap()
col_facet	ncol of ggplot2::facet_wrap()
...	Additional

autoplot.bvharirf	<i>Plot Impulse Responses</i>
-------------------	-------------------------------

Description

Draw impulse responses of response ~ impulse in the facet.

Usage

```
## S3 method for class 'bvharirf'  
autoplot(object, ...)
```

Arguments

object	A bvharirf object
...	Other arguments passed on the <code>ggplot2::geom_path()</code> .

Value

A ggplot object

See Also

[irf\(\)](#)

autoplot.bvharsp	<i>Plot the Result of BVAR and BVHAR MCMC</i>
------------------	---

Description

Draw BVAR and BVHAR MCMC plots.

Usage

```
## S3 method for class 'bvharsp'  
autoplot(  
  object,  
  type = c("coef", "trace", "dens", "area"),  
  pars = character(),  
  regex_pars = character(),  
  ...  
)
```

Arguments

object	A bvharvsp object
type	The type of the plot. Posterior coefficient (coef), Trace plot (trace), kernel density plot (dens), and interval estimates plot (area).
pars	Parameter names to draw.
regex_pars	Regular expression parameter names to draw.
...	Other options for each <code>bayesplot::mcmc_trace()</code> , <code>bayesplot::mcmc_dens()</code> , and <code>bayesplot::mcmc_areas()</code> .

Value

A ggplot object

autoplot.normaliw	<i>Residual Plot for Minnesota Prior VAR Model</i>
-------------------	--

Description

This function draws residual plot for covariance matrix of Minnesota prior VAR model.

Usage

```
## S3 method for class 'normaliw'
autoplot(object, hcol = "grey", hsize = 1.5, ...)
```

Arguments

object	A normaliw object
hcol	color of horizontal line = 0 (By default, grey)
hsize	size of horizontal line = 0 (By default, 1.5)
...	additional options for <code>geom_point</code>

Value

A ggplot object

autoplot.predbvhar *Plot Forecast Result*

Description

Plots the forecasting result with forecast regions.

Usage

```
## S3 method for class 'predbvhar'
autoplot(
  object,
  type = c("grid", "wrap"),
  ci_alpha = 0.7,
  alpha_scale = 0.3,
  x_cut = 1,
  viridis = FALSE,
  viridis_option = "D",
  NROW = NULL,
  NCOL = NULL,
  ...
)

## S3 method for class 'predbvhar'
autolayer(object, ci_fill = "grey70", ci_alpha = 0.5, alpha_scale = 0.3, ...)
```

Arguments

object	A predbvhar object
type	Divide variables using <code>ggplot2::facet_grid()</code> ("grid": default) or <code>ggplot2::facet_wrap()</code> ("wrap")
ci_alpha	Transparency of CI
alpha_scale	Scale of transparency parameter (alpha) between the two layers. alpha of CI ribbon = alpha_scale * alpha of path (By default, .5)
x_cut	plot x axes from x_cut for visibility
viridis	If TRUE, scale CI and forecast line using <code>ggplot2::scale_fill_viridis_d()</code> and <code>ggplot2::scale_colour_viridis_d</code> , respectively.
viridis_option	Option for viridis string. See option of <code>ggplot2::scale_colour_viridis_d</code> . Choose one of c("A", "B", "C", "D", "E"). By default, D.
NROW	nrow of <code>ggplot2::facet_wrap()</code>
NCOL	ncol of <code>ggplot2::facet_wrap()</code>
...	additional option for <code>ggplot2::geom_path()</code>
ci_fill	color of CI

Value

A ggplot object

A ggplot layer

autoplot.summary.bvharsp

Plot the Heatmap of SSVS Coefficients

Description

Draw heatmap for SSVS prior coefficients.

Usage

```
## S3 method for class 'summary.bvharsp'
autoplot(object, point = FALSE, ...)
```

Arguments

object	A summary.bvharsp object
point	Use point for sparsity representation
...	Other arguments passed on the <code>ggplot2::geom_tile()</code> .

Value

A ggplot object

autoplot.summary.normaliw

Density Plot for Minnesota Prior VAR Model

Description

This function draws density plot for coefficient matrices of Minnesota prior VAR model.

Usage

```
## S3 method for class 'summary.normaliw'
autoplot(
  object,
  type = c("trace", "dens", "area"),
  pars = character(),
  regex_pars = character(),
  ...
)
```


Arguments

object	A <code>summary.normaliw</code> object
type	The type of the plot. Trace plot (<code>trace</code>), kernel density plot (<code>dens</code>), and interval estimates plot (<code>area</code>).
pars	Parameter names to draw.
regex_pars	Regular expression parameter names to draw.
...	Other options for each <code>bayesplot::mcmc_trace()</code> , <code>bayesplot::mcmc_dens()</code> , and <code>bayesplot::mcmc_areas()</code> .

Value

A ggplot object

bound_bvhar	<i>Setting Empirical Bayes Optimization Bounds</i>
-------------	--

Description

[Experimental] This function sets lower and upper bounds for `set_bvar()`, `set_bvhar()`, or `set_weight_bvhar()`.

Usage

```
bound_bvhar(
  init_spec = set_bvhar(),
  lower_spec = set_bvhar(),
  upper_spec = set_bvhar()
)

## S3 method for class 'boundbvharemp'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

is.boundbvharemp(x)

## S3 method for class 'boundbvharemp'
knit_print(x, ...)
```

Arguments

init_spec	Initial Bayes model specification
lower_spec	Lower bound Bayes model specification
upper_spec	Upper bound Bayes model specification
x	Any object
digits	digit option to print
...	not used

Value

boundbvharemp [class](#)

bvar_flat

Fitting Bayesian VAR(p) of Flat Prior

Description

This function fits BVAR(p) with flat prior.

Usage

```
bvar_flat(
  y,
  p,
  num_chains = 1,
  num_iter = 1000,
  num_burn = floor(num_iter/2),
  thinning = 1,
  bayes_spec = set_bvar_flat(),
  include_mean = TRUE,
  verbose = FALSE,
  num_thread = 1
)

## S3 method for class 'bvarflat'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

## S3 method for class 'bvarflat'
logLik(object, ...)

## S3 method for class 'bvarflat'
AIC(object, ...)

## S3 method for class 'bvarflat'
BIC(object, ...)

is.bvarflat(x)

## S3 method for class 'bvarflat'
knit_print(x, ...)
```

Arguments

y Time series data of which columns indicate the variables
 p VAR lag

num_chains	Number of MCMC chains
num_iter	MCMC iteration number
num_burn	Number of burn-in (warm-up). Half of the iteration is the default choice.
thinning	Thinning every thinning-th iteration
bayes_spec	A BVAR model specification by <code>set_bvar_flat()</code> .
include_mean	Add constant term (Default: TRUE) or not (FALSE)
verbose	Print the progress bar in the console. By default, FALSE.
num_thread	Number of threads
x	Any object
digits	digit option to print
...	not used
object	A bvarflat object

Details

Ghosh et al. (2018) gives flat prior for residual matrix in BVAR.

Under this setting, there are many models such as hierarchical or non-hierarchical. This function chooses the most simple non-hierarchical matrix normal prior in Section 3.1.

$$A \mid \Sigma_e \sim MN(0, U^{-1}, \Sigma_e)$$

where U: precision matrix (MN: **matrix normal**).

$$p(\Sigma_e) \propto 1$$

Value

`bvar_flat()` returns an object `bvarflat` **class**. It is a list with the following components:

coefficients Posterior Mean matrix of Matrix Normal distribution

fitted.values Fitted values

residuals Residuals

mn_prec Posterior precision matrix of Matrix Normal distribution

iw_scale Posterior scale matrix of posterior inverse-wishart distribution

iw_shape Posterior shape of inverse-wishart distribution

df Numer of Coefficients: mp + 1 or mp

p Lag of VAR

m Dimension of the time series

obs Sample size used when training = totobs - p

totobs Total number of the observation

process Process string in the bayes_spec: BVAR_Flat

spec Model specification (bvhar_spec)

type include constant term (const) or not (none)
call Matched call
prior_mean Prior mean matrix of Matrix Normal distribution: zero matrix
prior_precision Prior precision matrix of Matrix Normal distribution: U^{-1}
y0 Y_0
design X_0
y Raw input (matrix)

References

Ghosh, S., Khare, K., & Michailidis, G. (2018). *High-Dimensional Posterior Consistency in Bayesian Vector Autoregressive Models*. Journal of the American Statistical Association, 114(526).
 Litterman, R. B. (1986). *Forecasting with Bayesian Vector Autoregressions: Five Years of Experience*. Journal of Business & Economic Statistics, 4(1), 25.

See Also

- [set_bvar_flat\(\)](#) to specify the hyperparameters of BVAR flat prior.
- [coef.bvarflat\(\)](#), [residuals.bvarflat\(\)](#), and [fitted.bvarflat\(\)](#)
- [predict.bvarflat\(\)](#) to forecast the BVHAR process

bvar_minnesota

Fitting Bayesian VAR(p) of Minnesota Prior

Description

This function fits BVAR(p) with Minnesota prior.

Usage

```
bvar_minnesota(
  y,
  p = 1,
  num_chains = 1,
  num_iter = 1000,
  num_burn = floor(num_iter/2),
  thinning = 1,
  bayes_spec = set_bvar(),
  scale_variance = 0.05,
  include_mean = TRUE,
  parallel = list(),
  verbose = FALSE,
  num_thread = 1
)
```

```

## S3 method for class 'bvarmn'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

## S3 method for class 'bvarhm'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

## S3 method for class 'bvarmn'
logLik(object, ...)

## S3 method for class 'bvarmn'
AIC(object, ...)

## S3 method for class 'bvarmn'
BIC(object, ...)

is.bvarmn(x)

## S3 method for class 'bvarmn'
knit_print(x, ...)

## S3 method for class 'bvarhm'
knit_print(x, ...)

```

Arguments

<code>y</code>	Time series data of which columns indicate the variables
<code>p</code>	VAR lag (Default: 1)
<code>num_chains</code>	Number of MCMC chains
<code>num_iter</code>	MCMC iteration number
<code>num_burn</code>	Number of burn-in (warm-up). Half of the iteration is the default choice.
<code>thinning</code>	Thinning every thinning-th iteration
<code>bayes_spec</code>	A BVAR model specification by set_bvar() .
<code>scale_variance</code>	Proposal distribution scaling constant to adjust an acceptance rate
<code>include_mean</code>	Add constant term (Default: TRUE) or not (FALSE)
<code>parallel</code>	List the same argument of optimParallel::optimParallel() . By default, this is empty, and the function does not execute parallel computation.
<code>verbose</code>	Print the progress bar in the console. By default, FALSE.
<code>num_thread</code>	Number of threads
<code>x</code>	Any object
<code>digits</code>	digit option to print
<code>...</code>	not used
<code>object</code>	A bvarmn object

Details

Minnesota prior gives prior to parameters A (VAR matrices) and Σ_e (residual covariance).

$$A \mid \Sigma_e \sim MN(A_0, \Omega_0, \Sigma_e)$$

$$\Sigma_e \sim IW(S_0, \alpha_0)$$

(MN: **matrix normal**, IW: **inverse-wishart**)

Value

bvar_minnesota() returns an object bvarmn [class](#). It is a list with the following components:

coefficients Posterior Mean

fitted.values Fitted values

residuals Residuals

mn_mean Posterior mean matrix of Matrix Normal distribution

mn_prec Posterior precision matrix of Matrix Normal distribution

iw_scale Posterior scale matrix of posterior inverse-Wishart distribution

iw_shape Posterior shape of inverse-Wishart distribution (α_0 - obs + 2). α_0 : nrow(Dummy observation) - k

df Numer of Coefficients: mp + 1 or mp

m Dimension of the time series

obs Sample size used when training = totobs - p

prior_mean Prior mean matrix of Matrix Normal distribution: A_0

prior_precision Prior precision matrix of Matrix Normal distribution: Ω_0^{-1}

prior_scale Prior scale matrix of inverse-Wishart distribution: S_0

prior_shape Prior shape of inverse-Wishart distribution: α_0

y0 Y_0

design X_0

p Lag of VAR

totobs Total number of the observation

type include constant term (const) or not (none)

y Raw input (matrix)

call Matched call

process Process string in the bayes_spec: BVAR_Minnesota

spec Model specification (bvhar_spec)

It is also normaliw and bvharmod class.

References

- Bañbura, M., Giannone, D., & Reichlin, L. (2010). *Large Bayesian vector auto regressions*. Journal of Applied Econometrics, 25(1).
- Giannone, D., Lenza, M., & Primiceri, G. E. (2015). *Prior Selection for Vector Autoregressions*. Review of Economics and Statistics, 97(2).
- Litterman, R. B. (1986). *Forecasting with Bayesian Vector Autoregressions: Five Years of Experience*. Journal of Business & Economic Statistics, 4(1), 25.
- KADIYALA, K.R. and KARLSSON, S. (1997), *NUMERICAL METHODS FOR ESTIMATION AND INFERENCE IN BAYESIAN VAR-MODELS*. J. Appl. Econ., 12: 99-132.
- Karlsson, S. (2013). *Chapter 15 Forecasting with Bayesian Vector Autoregression*. Handbook of Economic Forecasting, 2, 791-897.
- Sims, C. A., & Zha, T. (1998). *Bayesian Methods for Dynamic Multivariate Models*. International Economic Review, 39(4), 949-968.

See Also

- `set_bvar()` to specify the hyperparameters of Minnesota prior.
- `summary.normaliw()` to summarize BVAR model

Examples

```
# Perform the function using etf_vix dataset
fit <- bvar_minnesota(y = etf_vix[,1:3], p = 2)
class(fit)

# Extract coef, fitted values, and residuals
coef(fit)
head(residuals(fit))
head(fitted(fit))
```

 bvhar_minnesota

Fitting Bayesian VHAR of Minnesota Prior

Description

This function fits BVHAR with Minnesota prior.

Usage

```
bvhar_minnesota(
  y,
  har = c(5, 22),
  num_chains = 1,
  num_iter = 1000,
  num_burn = floor(num_iter/2),
  thinning = 1,
```

```

    bayes_spec = set_bvhar(),
    scale_variance = 0.05,
    include_mean = TRUE,
    parallel = list(),
    verbose = FALSE,
    num_thread = 1
)

## S3 method for class 'bvharhn'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

## S3 method for class 'bvharhm'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

## S3 method for class 'bvharhn'
logLik(object, ...)

## S3 method for class 'bvharhn'
AIC(object, ...)

## S3 method for class 'bvharhn'
BIC(object, ...)

is.bvharhn(x)

## S3 method for class 'bvharhn'
knit_print(x, ...)

## S3 method for class 'bvharhm'
knit_print(x, ...)

```

Arguments

<code>y</code>	Time series data of which columns indicate the variables
<code>har</code>	Numeric vector for weekly and monthly order. By default, <code>c(5, 22)</code> .
<code>num_chains</code>	Number of MCMC chains
<code>num_iter</code>	MCMC iteration number
<code>num_burn</code>	Number of burn-in (warm-up). Half of the iteration is the default choice.
<code>thinning</code>	Thinning every thinning-th iteration
<code>bayes_spec</code>	A BVHAR model specification by <code>set_bvhar()</code> (default) or <code>set_weight_bvhar()</code> .
<code>scale_variance</code>	Proposal distribution scaling constant to adjust an acceptance rate
<code>include_mean</code>	Add constant term (Default: TRUE) or not (FALSE)
<code>parallel</code>	List the same argument of <code>optimParallel::optimParallel()</code> . By default, this is empty, and the function does not execute parallel computation.
<code>verbose</code>	Print the progress bar in the console. By default, FALSE.
<code>num_thread</code>	Number of threads

x	Any object
digits	digit option to print
...	not used
object	A bvhar object

Details

Apply Minnesota prior to Vector HAR: Φ (VHAR matrices) and Σ_e (residual covariance).

$$\Phi \mid \Sigma_e \sim MN(M_0, \Omega_0, \Sigma_e)$$

$$\Sigma_e \sim IW(\Psi_0, \nu_0)$$

(MN: **matrix normal**, IW: **inverse-wishart**)

There are two types of Minnesota priors for BVHAR:

- VAR-type Minnesota prior specified by `set_bvhar()`, so-called BVHAR-S model.
- VHAR-type Minnesota prior specified by `set_weight_bvhar()`, so-called BVHAR-L model.

Value

`bvhar_minnesota()` returns an object `bvhar` **class**. It is a list with the following components:

coefficients Posterior Mean

fitted.values Fitted values

residuals Residuals

mn_mean Posterior mean matrix of Matrix Normal distribution

mn_prec Posterior precision matrix of Matrix Normal distribution

iw_scale Posterior scale matrix of posterior inverse-wishart distribution

iw_shape Posterior shape of inverse-Wishart distribution ($\nu_0 - \text{obs} + 2$). ν_0 : `nrow(Dummy observation) - k`

df Numer of Coefficients: $3m + 1$ or $3m$

m Dimension of the time series

obs Sample size used when training = `totobs - 22`

prior_mean Prior mean matrix of Matrix Normal distribution: M_0

prior_precision Prior precision matrix of Matrix Normal distribution: Ω_0^{-1}

prior_scale Prior scale matrix of inverse-Wishart distribution: Ψ_0

prior_shape Prior shape of inverse-Wishart distribution: ν_0

y0 Y_0

design X_0

p 3, this element exists to run the other functions

week Order for weekly term

month Order for monthly term

totobs Total number of the observation

type include constant term (const) or not (none)

HARtrans VHAR linear transformation matrix: C_{HAR}

y Raw input (matrix)

call Matched call

process Process string in the bayes_spec: BVHAR_MN_VAR (BVHAR-S) or BVHAR_MN_VHAR (BVHAR-L)

spec Model specification (bvhar_spec)

It is also normaliw and bvharmod class.

References

Kim, Y. G., and Baek, C. (2024). *Bayesian vector heterogeneous autoregressive modeling*. Journal of Statistical Computation and Simulation, 94(6), 1139-1157.

See Also

- [set_bvhar\(\)](#) to specify the hyperparameters of BVHAR-S
- [set_weight_bvhar\(\)](#) to specify the hyperparameters of BVHAR-L
- [summary.normaliw\(\)](#) to summarize BVHAR model

Examples

```
# Perform the function using etf_vix dataset
fit <- bvhar_minnesota(y = etf_vix[,1:3])
class(fit)

# Extract coef, fitted values, and residuals
coef(fit)
head(residuals(fit))
head(fitted(fit))
```

choose_bayes

Finding the Set of Hyperparameters of Bayesian Model

Description

[Experimental] This function chooses the set of hyperparameters of Bayesian model using [stats::optim\(\)](#) function.

Usage

```
choose_bayes(
  bayes_bound = bound_bvhar(),
  ...,
  eps = 1e-04,
  y,
  order = c(5, 22),
  include_mean = TRUE,
  parallel = list()
)
```

Arguments

<code>bayes_bound</code>	Empirical Bayes optimization bound specification defined by <code>bound_bvhar()</code> .
<code>...</code>	Additional arguments for <code>stats::optim()</code> .
<code>eps</code>	Hyperparameter <code>eps</code> is fixed. By default, <code>1e-04</code> .
<code>y</code>	Time series data
<code>order</code>	Order for BVAR or BVHAR. <code>p</code> of <code>bvar_minnesota()</code> or <code>har</code> of <code>bvhar_minnesota()</code> . By default, <code>c(5, 22)</code> for <code>har</code> .
<code>include_mean</code>	Add constant term (Default: <code>TRUE</code>) or not (<code>FALSE</code>)
<code>parallel</code>	List the same argument of <code>optimParallel::optimParallel()</code> . By default, this is empty, and the function does not execute parallel computation.

Value

`bvharemp` `class` is a list that has

... Many components of `stats::optim()` or `optimParallel::optimParallel()`

spec Corresponding `bvharspec`

fit Chosen Bayesian model

ml Marginal likelihood of the final model

References

Giannone, D., Lenza, M., & Primiceri, G. E. (2015). *Prior Selection for Vector Autoregressions*. Review of Economics and Statistics, 97(2).

Kim, Y. G., and Baek, C. (2024). *Bayesian vector heterogeneous autoregressive modeling*. Journal of Statistical Computation and Simulation, 94(6), 1139-1157.

See Also

- `bound_bvhar()` to define L-BFGS-B optimization bounds.
- Individual functions: `choose_bvar()`

Description

Instead of these functions, you can use [choose_bayes\(\)](#).

Usage

```
choose_bvar(
  bayes_spec = set_bvar(),
  lower = 0.01,
  upper = 10,
  ...,
  eps = 1e-04,
  y,
  p,
  include_mean = TRUE,
  parallel = list()
)

choose_bvhar(
  bayes_spec = set_bvhar(),
  lower = 0.01,
  upper = 10,
  ...,
  eps = 1e-04,
  y,
  har = c(5, 22),
  include_mean = TRUE,
  parallel = list()
)

## S3 method for class 'bvharemp'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

is.bvharemp(x)

## S3 method for class 'bvharemp'
knit_print(x, ...)
```

Arguments

bayes_spec	Initial Bayes model specification.
lower	[Experimental] Lower bound. By default, .01.
upper	[Experimental] Upper bound. By default, 10.

...	not used
eps	Hyperparameter eps is fixed. By default, 1e-04.
y	Time series data
p	BVAR lag
include_mean	Add constant term (Default: TRUE) or not (FALSE)
parallel	List the same argument of <code>optimParallel::optimParallel()</code> . By default, this is empty, and the function does not execute parallel computation.
har	Numeric vector for weekly and monthly order. By default, c(5, 22).
x	Any object
digits	digit option to print

Details

Empirical Bayes method maximizes marginal likelihood and selects the set of hyperparameters. These functions implement L-BFGS-B method of `stats::optim()` to find the maximum of marginal likelihood.

If you want to set lower and upper option more carefully, deal with them like as in `stats::optim()` in order of `set_bvar()`, `set_bvhar()`, or `set_weight_bvhar()`'s argument (except eps). In other words, just arrange them in a vector.

Value

bvharemp `class` is a list that has

- `stats::optim()` or `optimParallel::optimParallel()`
 - chosen bvhar spec set
 - Bayesian model fit result with chosen specification
- ... Many components of `stats::optim()` or `optimParallel::optimParallel()`
- spec** Corresponding bvhar spec
- fit** Chosen Bayesian model
- ml** Marginal likelihood of the final model

References

- Byrd, R. H., Lu, P., Nocedal, J., & Zhu, C. (1995). *A limited memory algorithm for bound constrained optimization*. SIAM Journal on scientific computing, 16(5), 1190-1208.
- Gelman, A., Carlin, J. B., Stern, H. S., & Rubin, D. B. (2013). *Bayesian data analysis*. Chapman and Hall/CRC.
- Giannone, D., Lenza, M., & Primiceri, G. E. (2015). *Prior Selection for Vector Autoregressions*. Review of Economics and Statistics, 97(2).
- Kim, Y. G., and Baek, C. (2024). *Bayesian vector heterogeneous autoregressive modeling*. Journal of Statistical Computation and Simulation, 94(6), 1139-1157.

choose_var	<i>Choose the Best VAR based on Information Criteria</i>
------------	--

Description

This function computes AIC, FPE, BIC, and HQ up to $p = \text{lag_max}$ of VAR model.

Usage

```
choose_var(y, lag_max = 5, include_mean = TRUE, parallel = FALSE)
```

Arguments

y	Time series data of which columns indicate the variables
lag_max	Maximum Var lag to explore (default = 5)
include_mean	Add constant term (Default: TRUE) or not (FALSE)
parallel	Parallel computation using <code>foreach::foreach()</code> ? By default, FALSE.

Value

Minimum order and information criteria values

coef	<i>Coefficient Matrix of Multivariate Time Series Models</i>
------	--

Description

By defining `stats::coef()` for each model, this function returns coefficient matrix estimates.

Usage

```
## S3 method for class 'varlse'
coef(object, ...)

## S3 method for class 'vharlse'
coef(object, ...)

## S3 method for class 'bvarmn'
coef(object, ...)

## S3 method for class 'bvarflat'
coef(object, ...)

## S3 method for class 'bvharmn'
coef(object, ...)
```

```
## S3 method for class 'bvharasp'
coef(object, ...)

## S3 method for class 'summary.bvharasp'
coef(object, ...)
```

Arguments

object	Model object
...	not used

Value

matrix object with appropriate dimension.

compute_dic	<i>Deviance Information Criterion of Multivariate Time Series Model</i>
-------------	---

Description

Compute DIC of BVAR and BVHAR.

Usage

```
compute_dic(object, ...)

## S3 method for class 'bvarmn'
compute_dic(object, n_iter = 100L, ...)
```

Arguments

object	Model fit
...	not used
n_iter	Number to sample

Details

Deviance information criteria (DIC) is

$$-2 \log p(y \mid \hat{\theta}_{bayes}) + 2p_{DIC}$$

where p_{DIC} is the effective number of parameters defined by

$$p_{DIC} = 2(\log p(y \mid \hat{\theta}_{bayes}) - E_{post} \log p(y \mid \theta))$$

Random sampling from posterior distribution gives its computation, $\theta_i \sim \theta \mid y, i = 1, \dots, M$

$$p_{DIC}^{computed} = 2(\log p(y | \hat{\theta}_{bayes}) - \frac{1}{M} \sum_i \log p(y | \theta_i))$$

Value

DIC value.

References

Gelman, A., Carlin, J. B., Stern, H. S., & Rubin, D. B. (2013). *Bayesian data analysis*. Chapman and Hall/CRC.

Spiegelhalter, D.J., Best, N.G., Carlin, B.P. and Van Der Linde, A. (2002). *Bayesian measures of model complexity and fit*. Journal of the Royal Statistical Society: Series B (Statistical Methodology), 64: 583-639.

compute_logml	<i>Extracting Log of Marginal Likelihood</i>
---------------	--

Description

Compute log of marginal likelihood of Bayesian Fit

Usage

```
compute_logml(object, ...)

## S3 method for class 'bvarmn'
compute_logml(object, ...)

## S3 method for class 'bvharml'
compute_logml(object, ...)
```

Arguments

object	Model fit
...	not used

Details

Closed form of Marginal Likelihood of BVAR can be derived by

$$p(Y_0) = \pi^{-mn/2} \frac{\Gamma_m((\alpha_0 + n)/2)}{\Gamma_m(\alpha_0/2)} \det(\Omega_0)^{-m/2} \det(S_0)^{\alpha_0/2} \det(\hat{V})^{-m/2} \det(\hat{\Sigma}_e)^{-(\alpha_0+n)/2}$$

Closed form of Marginal Likelihood of BVHAR can be derived by

$$p(Y_0) = \pi^{-ms_0/2} \frac{\Gamma_m((d_0 + n)/2)}{\Gamma_m(d_0/2)} \det(P_0)^{-m/2} \det(U_0)^{d_0/2} \det(\hat{V}_{HAR})^{-m/2} \det(\hat{\Sigma}_e)^{-(d_0+n)/2}$$

Value

log likelihood of Minnesota prior model.

References

Giannone, D., Lenza, M., & Primiceri, G. E. (2015). *Prior Selection for Vector Autoregressions*. Review of Economics and Statistics, 97(2).

confusion	<i>Evaluate the Sparsity Estimation Based on Confusion Matrix</i>
-----------	---

Description

This function computes FDR (false discovery rate) and FNR (false negative rate) for sparse element of the true coefficients given threshold.

Usage

```
confusion(x, y, ...)

## S3 method for class 'summary.bvharsp'
confusion(x, y, truth_thr = 0, ...)
```

Arguments

- x summary.bvharsp object.
- y True inclusion variable.
- ... not used
- truth_thr Threshold value when using non-sparse true coefficient matrix. By default, 0 for sparse matrix.

Details

When using this function, the true coefficient matrix Φ should be sparse.

In this confusion matrix, positive (0) means sparsity. FP is false positive, and TP is true positive. FN is false negative, and FN is false negative.

Value

Confusion table as following.

True-estimate	Positive (0)	Negative (1)
Positive (0)	TP	FN
Negative (1)	FP	TN

References

Bai, R., & Ghosh, M. (2018). High-dimensional multivariate posterior consistency under global-local shrinkage priors. *Journal of Multivariate Analysis*, 167, 157-170.

conf_fdr

Evaluate the Sparsity Estimation Based on FDR

Description

This function computes false discovery rate (FDR) for sparse element of the true coefficients given threshold.

Usage

```
conf_fdr(x, y, ...)
```

```
## S3 method for class 'summary.bvharsp'
conf_fdr(x, y, truth_thr = 0, ...)
```

Arguments

x	summary.bvharsp object.
y	True inclusion variable.
...	not used
truth_thr	Threshold value when using non-sparse true coefficient matrix. By default, 0 for sparse matrix.

Details

When using this function, the true coefficient matrix Φ should be sparse. False discovery rate (FDR) is computed by

$$FDR = \frac{FP}{TP + FP}$$

where TP is true positive, and FP is false positive.

Value

FDR value in confusion table

References

Bai, R., & Ghosh, M. (2018). High-dimensional multivariate posterior consistency under global-local shrinkage priors. *Journal of Multivariate Analysis*, 167, 157-170.

See Also

[confusion\(\)](#)

conf_fnr

*Evaluate the Sparsity Estimation Based on FNR***Description**

This function computes false negative rate (FNR) for sparse element of the true coefficients given threshold.

Usage

```
conf_fnr(x, y, ...)
```

```
## S3 method for class 'summary.bvharsp'
```

```
conf_fnr(x, y, truth_thr = 0, ...)
```

Arguments

x	summary.bvharsp object.
y	True inclusion variable.
...	not used
truth_thr	Threshold value when using non-sparse true coefficient matrix. By default, 0 for sparse matrix.

Details

False negative rate (FNR) is computed by

$$FNR = \frac{FN}{TP + FN}$$

where TP is true positive, and FN is false negative.

Value

FNR value in confusion table

References

Bai, R., & Ghosh, M. (2018). High-dimensional multivariate posterior consistency under global-local shrinkage priors. *Journal of Multivariate Analysis*, 167, 157-170.

See Also

[confusion\(\)](#)

conf_fscore

Evaluate the Sparsity Estimation Based on F1 Score

Description

This function computes F1 score for sparse element of the true coefficients given threshold.

Usage

```
conf_fscore(x, y, ...)

## S3 method for class 'summary.bvharsp'
conf_fscore(x, y, truth_thr = 0, ...)
```

Arguments

x	summary.bvharsp object.
y	True inclusion variable.
...	not used
truth_thr	Threshold value when using non-sparse true coefficient matrix. By default, 0 for sparse matrix.

Details

The F1 score is computed by

$$F_1 = \frac{2precision \times recall}{precision + recall}$$

Value

F1 score in confusion table

See Also

[confusion\(\)](#)

conf_prec

Evaluate the Sparsity Estimation Based on Precision

Description

This function computes precision for sparse element of the true coefficients given threshold.

Usage

```
conf_prec(x, y, ...)

## S3 method for class 'summary.bvharsp'
conf_prec(x, y, truth_thr = 0, ...)
```

Arguments

x	summary.bvharsp object.
y	True inclusion variable.
...	not used
truth_thr	Threshold value when using non-sparse true coefficient matrix. By default, 0 for sparse matrix.

Details

If the element of the estimate $\hat{\Phi}$ is smaller than some threshold, it is treated to be zero. Then the precision is computed by

$$precision = \frac{TP}{TP + FP}$$

where TP is true positive, and FP is false positive.

Value

Precision value in confusion table

References

Bai, R., & Ghosh, M. (2018). High-dimensional multivariate posterior consistency under global-local shrinkage priors. *Journal of Multivariate Analysis*, 167, 157-170.

See Also

[confusion\(\)](#)

conf_recall

Evaluate the Sparsity Estimation Based on Recall

Description

This function computes recall for sparse element of the true coefficients given threshold.

Usage

```
conf_recall(x, y, ...)

## S3 method for class 'summary.bvharsp'
conf_recall(x, y, truth_thr = 0L, ...)
```

Arguments

x	summary.bvharsp object.
y	True inclusion variable.
...	not used
truth_thr	Threshold value when using non-sparse true coefficient matrix. By default, 0 for sparse matrix.

Details

Precision is computed by

$$recall = \frac{TP}{TP + FN}$$

where TP is true positive, and FN is false negative.

Value

Recall value in confusion table

References

Bai, R., & Ghosh, M. (2018). High-dimensional multivariate posterior consistency under global-local shrinkage priors. *Journal of Multivariate Analysis*, 167, 157-170.

See Also

[confusion\(\)](#)

divide_ts

Split a Time Series Dataset into Train-Test Set

Description

Split a given time series dataset into train and test set for evaluation.

Usage

```
divide_ts(y, n_ahead)
```

Arguments

y	Time series data of which columns indicate the variables
n_ahead	step to evaluate

Value

List of two datasets, train and test.

dynamic_spillover

Dynamic Spillover

Description

This function gives connectedness table with h-step ahead normalized spillover index (a.k.a. variance shares).

Usage

```
dynamic_spillover(object, n_ahead = 10L, ...)

## S3 method for class 'bvhardynsp'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

## S3 method for class 'bvhardynsp'
knit_print(x, ...)

## S3 method for class 'olsmod'
dynamic_spillover(object, n_ahead = 10L, window, num_thread = 1, ...)

## S3 method for class 'normaliw'
dynamic_spillover(
  object,
  n_ahead = 10L,
```

```

        window,
        num_iter = 1000L,
        num_burn = floor(num_iter/2),
        thinning = 1,
        num_thread = 1,
        ...
    )

## S3 method for class 'ldltmod'
dynamic_spillover(
    object,
    n_ahead = 10L,
    window,
    level = 0.05,
    sparse = FALSE,
    num_thread = 1,
    ...
)

## S3 method for class 'svmod'
dynamic_spillover(
    object,
    n_ahead = 10L,
    level = 0.05,
    sparse = FALSE,
    num_thread = 1,
    ...
)

```

Arguments

object	Model object
n_ahead	step to forecast. By default, 10.
...	not used
x	bvhardynsp object
digits	digit option to print
window	Window size
num_thread	[Experimental] Number of threads
num_iter	Number to sample MNIW distribution
num_burn	Number of burn-in
thinning	Thinning every thinning-th iteration
level	Specify alpha of confidence interval level 100(1 - alpha) percentage. By default, .05.
sparse	[Experimental] Apply restriction. By default, FALSE.

References

Diebold, F. X., & Yilmaz, K. (2012). *Better to give than to receive: Predictive directional measurement of volatility spillovers*. International Journal of forecasting, 28(1), 57-66.

etf_vix

CBOE ETF Volatility Index Dataset

Description

Chicago Board Options Exchange (CBOE) Exchange Traded Funds (ETFs) volatility index from FRED.

Usage

etf_vix

Format

A data frame of 1006 row and 9 columns:

From 2012-01-09 to 2015-06-27, 33 missing observations were interpolated by `stats::approx()` with `linear`.

GVZCLS Gold ETF volatility index

VXFXCLS China ETF volatility index

OVXCLS Crude Oil ETF volatility index

VXEEMCLS Emerging Markets ETF volatility index

EVZCLS EuroCurrency ETF volatility index

VXSLVCLS Silver ETF volatility index

VXGDCLS Gold Miners ETF volatility index

VXXLECLS Energy Sector ETF volatility index

VXEWZCLS Brazil ETF volatility index

Details

Copyright, 2016, Chicago Board Options Exchange, Inc.

Note that, in this data frame, dates column is removed. This dataset interpolated 36 missing observations (nontrading dates) using `imputeTS::na_interpolation()`.

Source

Source: <https://www.cboe.com>

Release: https://www.cboe.com/us/options/market_statistics/daily/

References

- Chicago Board Options Exchange, CBOE Gold ETF Volatility Index (GVZCLS), retrieved from FRED, Federal Reserve Bank of St. Louis; <https://fred.stlouisfed.org/series/GVZCLS>, July 31, 2021.
- Chicago Board Options Exchange, CBOE China ETF Volatility Index (VXFXICLS), retrieved from FRED, Federal Reserve Bank of St. Louis; <https://fred.stlouisfed.org/series/VXFXICLS>, August 1, 2021.
- Chicago Board Options Exchange, CBOE Crude Oil ETF Volatility Index (OVXCLS), retrieved from FRED, Federal Reserve Bank of St. Louis; <https://fred.stlouisfed.org/series/OVXCLS>, August 1, 2021.
- Chicago Board Options Exchange, CBOE Emerging Markets ETF Volatility Index (VXEEMCLS), retrieved from FRED, Federal Reserve Bank of St. Louis; <https://fred.stlouisfed.org/series/VXEEMCLS>, August 1, 2021.
- Chicago Board Options Exchange, CBOE EuroCurrency ETF Volatility Index (EVZCLS), retrieved from FRED, Federal Reserve Bank of St. Louis; <https://fred.stlouisfed.org/series/EVZCLS>, August 2, 2021.
- Chicago Board Options Exchange, CBOE Silver ETF Volatility Index (VXSLVCLS), retrieved from FRED, Federal Reserve Bank of St. Louis; <https://fred.stlouisfed.org/series/VXSLVCLS>, August 1, 2021.
- Chicago Board Options Exchange, CBOE Gold Miners ETF Volatility Index (VXGDXCLS), retrieved from FRED, Federal Reserve Bank of St. Louis; <https://fred.stlouisfed.org/series/VXGDXCLS>, August 1, 2021.
- Chicago Board Options Exchange, CBOE Energy Sector ETF Volatility Index (VXXLECLS), retrieved from FRED, Federal Reserve Bank of St. Louis; <https://fred.stlouisfed.org/series/VXXLECLS>, August 1, 2021.
- Chicago Board Options Exchange, CBOE Brazil ETF Volatility Index (VXEZWCLS), retrieved from FRED, Federal Reserve Bank of St. Louis; <https://fred.stlouisfed.org/series/VXEZWCLS>, August 2, 2021.

fitted

Fitted Matrix from Multivariate Time Series Models

Description

By defining `stats::fitted()` for each model, this function returns fitted matrix.

Usage

```
## S3 method for class 'varlse'
fitted(object, ...)

## S3 method for class 'vharlse'
fitted(object, ...)
```

```
## S3 method for class 'bvarmn'
fitted(object, ...)

## S3 method for class 'bvarflat'
fitted(object, ...)

## S3 method for class 'bvharman'
fitted(object, ...)
```

Arguments

object	Model object
...	not used

Value

[matrix](#) object.

forecast_expand	<i>Out-of-sample Forecasting based on Expanding Window</i>
-----------------	--

Description

This function conducts expanding window forecasting.

Usage

```
forecast_expand(
  object,
  n_ahead,
  y_test,
  level = 0.05,
  newxreg = NULL,
  num_thread = 1,
  ...
)

## S3 method for class 'olsmod'
forecast_expand(
  object,
  n_ahead,
  y_test,
  level = 0.05,
  newxreg = NULL,
  num_thread = 1,
  ...
)
```

```
## S3 method for class 'normaliw'
forecast_expand(
  object,
  n_ahead,
  y_test,
  level = 0.05,
  newxreg = NULL,
  num_thread = 1,
  use_fit = TRUE,
  ...
)
```

```
## S3 method for class 'ldltmod'
forecast_expand(
  object,
  n_ahead,
  y_test,
  level = 0.05,
  newxreg = NULL,
  num_thread = 1,
  stable = FALSE,
  sparse = FALSE,
  med = FALSE,
  lp1 = FALSE,
  mcmc = TRUE,
  use_fit = TRUE,
  verbose = FALSE,
  ...
)
```

```
## S3 method for class 'svmod'
forecast_expand(
  object,
  n_ahead,
  y_test,
  level = 0.05,
  newxreg = NULL,
  num_thread = 1,
  use_sv = TRUE,
  stable = FALSE,
  sparse = FALSE,
  med = FALSE,
  lp1 = FALSE,
  mcmc = TRUE,
  use_fit = TRUE,
  verbose = FALSE,
  ...
)
```

)

Arguments

object	Model object
n_ahead	Step to forecast in rolling window scheme
y_test	Test data to be compared. Use <code>divide_ts()</code> if you don't have separate evaluation dataset.
level	Specify alpha of confidence interval level 100(1 - alpha) percentage. By default, .05.
newxreg	New values for exogenous variables. Should have the same row numbers as <code>y_test</code> .
num_thread	[Experimental] Number of threads
...	Additional arguments.
use_fit	[Experimental] Use object result for the first window. By default, TRUE.
stable	[Experimental] Filter only stable coefficient draws in MCMC records.
sparse	[Experimental] Apply restriction. By default, FALSE.
med	[Experimental] If TRUE, use median of forecast draws instead of mean (default).
lpl	[Experimental] Compute log-predictive likelihood (LPL). By default, FALSE.
mcmc	[Experimental] If TRUE, run new MCMC in new windows. By default, TRUE.
verbose	Print the progress bar in the console. By default, FALSE.
use_sv	Use SV term

Details

Expanding windows forecasting fixes the starting period. It moves the window ahead and forecast h-ahead in `y_test` set.

Value

`predbvhar_expand` [class](#)

References

Hyndman, R. J., & Athanasopoulos, G. (2021). *Forecasting: Principles and practice* (3rd ed.). OTEXTS. <https://otexts.com/fpp3/>

forecast_roll

*Out-of-sample Forecasting based on Rolling Window***Description**

This function conducts rolling window forecasting.

Usage

```
forecast_roll(  
  object,  
  n_ahead,  
  y_test,  
  level = 0.05,  
  newxreg = NULL,  
  num_thread = 1,  
  ...  
)  
  
## S3 method for class 'bvharcv'  
print(x, digits = max(3L, getOption("digits") - 3L), ...)  
  
is.bvharcv(x)  
  
## S3 method for class 'bvharcv'  
knit_print(x, ...)  
  
## S3 method for class 'olsmod'  
forecast_roll(  
  object,  
  n_ahead,  
  y_test,  
  level = 0.05,  
  newxreg = NULL,  
  num_thread = 1,  
  ...  
)  
  
## S3 method for class 'normaliw'  
forecast_roll(  
  object,  
  n_ahead,  
  y_test,  
  level = 0.05,  
  newxreg = NULL,  
  num_thread = 1,  
  use_fit = TRUE,
```

```

    ...
)

## S3 method for class 'ldltmod'
forecast_roll(
  object,
  n_ahead,
  y_test,
  level = 0.05,
  newxreg = NULL,
  num_thread = 1,
  stable = FALSE,
  sparse = FALSE,
  med = FALSE,
  lpl = FALSE,
  mcmc = TRUE,
  use_fit = TRUE,
  verbose = FALSE,
  ...
)

## S3 method for class 'svmod'
forecast_roll(
  object,
  n_ahead,
  y_test,
  level = 0.05,
  newxreg = NULL,
  num_thread = 1,
  use_sv = TRUE,
  stable = FALSE,
  sparse = FALSE,
  med = FALSE,
  lpl = FALSE,
  mcmc = TRUE,
  use_fit = TRUE,
  verbose = FALSE,
  ...
)

```

Arguments

object	Model object
n_ahead	Step to forecast in rolling window scheme
y_test	Test data to be compared. Use <code>divide_ts()</code> if you don't have separate evaluation dataset.
level	Specify alpha of confidence interval level 100(1 - alpha) percentage. By default, .05.

newxreg	New values for exogenous variables. Should have the same row numbers as <code>y_test</code> .
num_thread	[Experimental] Number of threads
...	not used
x	Any object
digits	digit option to print
use_fit	[Experimental] Use object result for the first window. By default, <code>TRUE</code> .
stable	[Experimental] Filter only stable coefficient draws in MCMC records.
sparse	[Experimental] Apply restriction. By default, <code>FALSE</code> .
med	[Experimental] If <code>TRUE</code> , use median of forecast draws instead of mean (default).
lp1	[Experimental] Compute log-predictive likelihood (LPL). By default, <code>FALSE</code> .
mcmc	[Experimental] If <code>TRUE</code> , run new MCMC in new windows. By default, <code>TRUE</code> .
verbose	Print the progress bar in the console. By default, <code>FALSE</code> .
use_sv	Use SV term

Details

Rolling windows forecasting fixes window size. It moves the window ahead and forecast h-ahead in `y_test` set.

Value

`predbvhar_roll` [class](#)

References

Hyndman, R. J., & Athanasopoulos, G. (2021). *Forecasting: Principles and practice* (3rd ed.). OTEXTS.

FPE

Final Prediction Error Criterion

Description

Compute FPE of VAR(p) and VHAR

Usage

```
FPE(object, ...)
```

```
## S3 method for class 'varlse'
```

```
FPE(object, ...)
```

```
## S3 method for class 'vharlse'
```

```
FPE(object, ...)
```


Arguments

object	Model fit
...	not used

Details

Let $\tilde{\Sigma}_e$ be the MLE and let $\hat{\Sigma}_e$ be the unbiased estimator (covmat) for Σ_e . Note that

$$\tilde{\Sigma}_e = \frac{n-k}{T} \hat{\Sigma}_e$$

Then

$$FPE(p) = \left(\frac{n+k}{n-k}\right)^m \det \tilde{\Sigma}_e$$

Value

FPE value.

References

Lütkepohl, H. (2007). *New Introduction to Multiple Time Series Analysis*. Springer Publishing.

fromse

Evaluate the Estimation Based on Frobenius Norm

Description

This function computes estimation error given estimated model and true coefficient.

Usage

```
fromse(x, y, ...)

## S3 method for class 'bvharasp'
fromse(x, y, ...)
```

Arguments

x	Estimated model.
y	Coefficient matrix to be compared.
...	not used

Details

Consider the Frobenius Norm $\|\cdot\|_F$. let $\hat{\Phi}$ be $nrow \times k$ the estimates, and let Φ be the true coefficients matrix. Then the function computes estimation error by

$$MSE = 100 \frac{\|\hat{\Phi} - \Phi\|_F}{nrow \times k}$$

Value

Frobenius norm value

References

Bai, R., & Ghosh, M. (2018). High-dimensional multivariate posterior consistency under global-local shrinkage priors. *Journal of Multivariate Analysis*, 167, 157-170.

geom_eval

Adding Test Data Layer

Description

This function adds a layer of test dataset.

Usage

```
geom_eval(data, colour = "red", ...)
```

Arguments

data	Test data to draw, which has the same format with the train data.
colour	Color of the line (By default, red).
...	Other arguments passed on the ggplot2::geom_path() .

Value

A ggplot layer

gg_loss

*Compare Lists of Models***Description**

Draw plot of test error for given models

Usage

```
gg_loss(
  mod_list,
  y,
  type = c("mse", "mae", "mape", "mase"),
  mean_line = FALSE,
  line_param = list(),
  mean_param = list(),
  viridis = FALSE,
  viridis_option = "D",
  NROW = NULL,
  NCOL = NULL,
  ...
)
```

Arguments

<code>mod_list</code>	Lists of forecast results (predbvar objects)
<code>y</code>	Test data to be compared. should be the same format with the train data and <code>predict\$forecast</code> .
<code>type</code>	Loss function to be used (mse: MSE, mae: MAE, mape: MAPE, mase: MASE)
<code>mean_line</code>	Whether to draw average loss. By default, FALSE.
<code>line_param</code>	Parameter lists for <code>ggplot2::geom_path()</code> .
<code>mean_param</code>	Parameter lists for average loss with <code>ggplot2::geom_hline()</code> .
<code>viridis</code>	If TRUE, scale CI and forecast line using <code>ggplot2::scale_fill_viridis_d()</code> and <code>ggplot2::scale_colour_viridis_d</code> , respectively.
<code>viridis_option</code>	Option for viridis string. See option of <code>ggplot2::scale_colour_viridis_d</code> . Choose one of <code>c("A", "B", "C", "D", "E")</code> . By default, D.
<code>NROW</code>	nrow of <code>ggplot2::facet_wrap()</code>
<code>NCOL</code>	ncol of <code>ggplot2::facet_wrap()</code>
<code>...</code>	Additional options for <code>geom_loss</code> (<code>inherit.aes</code> and <code>show.legend</code>)

Value

A ggplot object

See Also

- `mse()` to compute MSE for given forecast result
- `mae()` to compute MAE for given forecast result
- `mape()` to compute MAPE for given forecast result
- `mase()` to compute MASE for given forecast result

 HQ

Hannan-Quinn Criterion

Description

Compute HQ of VAR(p), VHAR, BVAR(p), and BVHAR

Usage

```
HQ(object, ...)

## S3 method for class 'logLik'
HQ(object, ...)

## S3 method for class 'varlse'
HQ(object, ...)

## S3 method for class 'vharlse'
HQ(object, ...)

## S3 method for class 'bvarmn'
HQ(object, ...)

## S3 method for class 'bvarflat'
HQ(object, ...)

## S3 method for class 'bvharmin'
HQ(object, ...)
```

Arguments

<code>object</code>	A logLik object or Model fit
<code>...</code>	not used

Details

The formula is

$$HQ = -2 \log p(y \mid \hat{\theta}) + k \log \log(T)$$

which can be computed by `AIC(object, ..., k = 2 * log(log(nobs(object))))` with `stats::AIC()`.

Let $\tilde{\Sigma}_e$ be the MLE and let $\hat{\Sigma}_e$ be the unbiased estimator (covmat) for Σ_e . Note that

$$\tilde{\Sigma}_e = \frac{n-k}{T} \hat{\Sigma}_e$$

Then

$$HQ(p) = \log \det \Sigma_e + \frac{2 \log \log n}{n} (\text{number of freely estimated parameters})$$

where the number of freely estimated parameters is pm^2 .

Value

HQ value.

References

Hannan, E.J. and Quinn, B.G. (1979). *The Determination of the Order of an Autoregression*. Journal of the Royal Statistical Society: Series B (Methodological), 41: 190-195.

Hannan, E.J. and Quinn, B.G. (1979). *The Determination of the Order of an Autoregression*. Journal of the Royal Statistical Society: Series B (Methodological), 41: 190-195.

Lütkepohl, H. (2007). *New Introduction to Multiple Time Series Analysis*. Springer Publishing.

Quinn, B.G. (1980). *Order Determination for a Multivariate Autoregression*. Journal of the Royal Statistical Society: Series B (Methodological), 42: 182-185.

irf.varlse	<i>Impulse Response Analysis</i>
------------	----------------------------------

Description

Computes responses to impulses or orthogonal impulses

Usage

```
## S3 method for class 'varlse'
irf(object, lag_max = 10, orthogonal = TRUE, impulse_var, response_var, ...)

## S3 method for class 'vharlse'
irf(object, lag_max = 10, orthogonal = TRUE, impulse_var, response_var, ...)

## S3 method for class 'bvharirf'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

irf(object, lag_max, orthogonal, impulse_var, response_var, ...)
```

```
is.bvharirf(x)

## S3 method for class 'bvharirf'
knit_print(x, ...)
```

Arguments

object	Model object
lag_max	Maximum lag to investigate the impulse responses (By default, 10)
orthogonal	Orthogonal impulses (TRUE) or just impulses (FALSE)
impulse_var	Impulse variables character vector. If not specified, use every variable.
response_var	Response variables character vector. If not specified, use every variable.
...	not used
x	Any object
digits	digit option to print

Value

bvharirf [class](#)

Responses to forecast errors

If orthogonal = FALSE, the function gives W_j VMA representation of the process such that

$$Y_t = \sum_{j=0}^{\infty} W_j \epsilon_{t-j}$$

Responses to orthogonal impulses

If orthogonal = TRUE, it gives orthogonalized VMA representation

$$\Theta$$

. Based on variance decomposition (Cholesky decomposition)

$$\Sigma = PP^T$$

where P is lower triangular matrix, impulse response analysis if performed under MA representation

$$y_t = \sum_{i=0}^{\infty} \Theta_i v_{t-i}$$

Here,

$$\Theta_i = W_i P$$

and $v_t = P^{-1} \epsilon_t$ are orthogonal.

References

Lütkepohl, H. (2007). *New Introduction to Multiple Time Series Analysis*. Springer Publishing.

See Also

[VARtoVMA\(\)](#)
[VHARtoVMA\(\)](#)

is.stable	<i>Stability of the process</i>
-----------	---------------------------------

Description

Check the stability condition of coefficient matrix.

Usage

```
is.stable(x, ...)  
  
## S3 method for class 'varlse'  
is.stable(x, ...)  
  
## S3 method for class 'vharlse'  
is.stable(x, ...)  
  
## S3 method for class 'bvarmn'  
is.stable(x, ...)  
  
## S3 method for class 'bvarflat'  
is.stable(x, ...)  
  
## S3 method for class 'bvharml'  
is.stable(x, ...)
```

Arguments

x	Model fit
...	not used

Details

VAR(p) is stable if

$$\det(I_m - Az) \neq 0$$

for $|z| \leq 1$.

Value

logical class
logical class

References

Lütkepohl, H. (2007). *New Introduction to Multiple Time Series Analysis*. Springer Publishing.

mae

Evaluate the Model Based on MAE (Mean Absolute Error)

Description

This function computes MAE given prediction result versus evaluation set.

Usage

```
mae(x, y, ...)  
  
## S3 method for class 'predbvhar'  
mae(x, y, ...)  
  
## S3 method for class 'bvharcv'  
mae(x, y, ...)
```

Arguments

x	Forecasting object
y	Test data to be compared. should be the same format with the train data.
...	not used

Details

Let $e_t = y_t - \hat{y}_t$. MAE is defined by

$$MSE = mean(|e_t|)$$

Some researchers prefer MAE to MSE because it is less sensitive to outliers.

Value

MAE vector corresponding to each variable.

References

Hyndman, R. J., & Koehler, A. B. (2006). *Another look at measures of forecast accuracy*. International Journal of Forecasting, 22(4), 679-688.

mape	<i>Evaluate the Model Based on MAPE (Mean Absolute Percentage Error)</i>
------	--

Description

This function computes MAPE given prediction result versus evaluation set.

Usage

```
mape(x, y, ...)

## S3 method for class 'predbvhar'
mape(x, y, ...)

## S3 method for class 'bvharcv'
mape(x, y, ...)
```

Arguments

x	Forecasting object
y	Test data to be compared. should be the same format with the train data.
...	not used

Details

Let $e_t = y_t - \hat{y}_t$. Percentage error is defined by $p_t = 100e_t/Y_t$ (100 can be omitted since comparison is the focus).

$$MAPE = mean(|p_t|)$$

Value

MAPE vector corresponding to each variable.

References

Hyndman, R. J., & Koehler, A. B. (2006). *Another look at measures of forecast accuracy*. International Journal of Forecasting, 22(4), 679-688.

mase

Evaluate the Model Based on MASE (Mean Absolute Scaled Error)

Description

This function computes MASE given prediction result versus evaluation set.

Usage

```
mase(x, y, ...)

## S3 method for class 'predbvhar'
mase(x, y, ...)

## S3 method for class 'bvharcv'
mase(x, y, ...)
```

Arguments

x	Forecasting object
y	Test data to be compared. should be the same format with the train data.
...	not used

Details

Let $e_t = y_t - \hat{y}_t$. Scaled error is defined by

$$q_t = \frac{e_t}{\sum_{i=2}^n |Y_i - Y_{i-1}| / (n-1)}$$

so that the error can be free of the data scale. Then

$$MASE = mean(|q_t|)$$

Here, Y_i are the points in the sample, i.e. errors are scaled by the in-sample mean absolute error ($mean(|e_t|)$) from the naive random walk forecasting.

Value

MASE vector corresponding to each variable.

References

Hyndman, R. J., & Koehler, A. B. (2006). *Another look at measures of forecast accuracy*. International Journal of Forecasting, 22(4), 679-688.

mrae

Evaluate the Model Based on MRAE (Mean Relative Absolute Error)

Description

This function computes MRAE given prediction result versus evaluation set.

Usage

```
mrae(x, pred_bench, y, ...)
```

```
## S3 method for class 'predbvhar'
```

```
mrae(x, pred_bench, y, ...)
```

```
## S3 method for class 'bvharcv'
```

```
mrae(x, pred_bench, y, ...)
```

Arguments

x	Forecasting object to use
pred_bench	The same forecasting object from benchmark model
y	Test data to be compared. should be the same format with the train data.
...	not used

Details

Let $e_t = y_t - \hat{y}_t$. MRAE implements benchmark model as scaling method. Relative error is defined by

$$r_t = \frac{e_t}{e_t^*}$$

where e_t^* is the error from the benchmark method. Then

$$MRAE = mean(|r_t|)$$

Value

MRAE vector corresponding to each variable.

References

Hyndman, R. J., & Koehler, A. B. (2006). *Another look at measures of forecast accuracy*. International Journal of Forecasting, 22(4), 679-688.

mse

*Evaluate the Model Based on MSE (Mean Square Error)***Description**

This function computes MSE given prediction result versus evaluation set.

Usage

```
mse(x, y, ...)
```

```
## S3 method for class 'predbvhar'
```

```
mse(x, y, ...)
```

```
## S3 method for class 'bvharcv'
```

```
mse(x, y, ...)
```

Arguments

x	Forecasting object
y	Test data to be compared. should be the same format with the train data.
...	not used

Details

Let $e_t = y_t - \hat{y}_t$. Then

$$MSE = mean(e_t^2)$$

MSE is the most used accuracy measure.

Value

MSE vector corresponding to each variable.

References

Hyndman, R. J., & Koehler, A. B. (2006). *Another look at measures of forecast accuracy*. International Journal of Forecasting, 22(4), 679-688.

predict

Forecasting Multivariate Time Series

Description

Forecasts multivariate time series using given model.

Usage

```
## S3 method for class 'varlse'
predict(object, n_ahead, level = 0.05, newxreg, ...)

## S3 method for class 'vharlse'
predict(object, n_ahead, level = 0.05, newxreg, ...)

## S3 method for class 'bvarmn'
predict(object, n_ahead, n_iter = 100L, level = 0.05, num_thread = 1, ...)

## S3 method for class 'bvharmn'
predict(object, n_ahead, n_iter = 100L, level = 0.05, num_thread = 1, ...)

## S3 method for class 'bvarflat'
predict(object, n_ahead, n_iter = 100L, level = 0.05, num_thread = 1, ...)

## S3 method for class 'bvarldlt'
predict(
  object,
  n_ahead,
  level = 0.05,
  newxreg,
  stable = FALSE,
  num_thread = 1,
  sparse = FALSE,
  med = FALSE,
  warn = FALSE,
  ...
)

## S3 method for class 'bvharldlt'
predict(
  object,
  n_ahead,
  level = 0.05,
  newxreg,
  stable = FALSE,
  num_thread = 1,
  sparse = FALSE,
```

```

    med = FALSE,
    warn = FALSE,
    ...
)

## S3 method for class 'bvarsv'
predict(
  object,
  n_ahead,
  level = 0.05,
  newxreg,
  stable = FALSE,
  num_thread = 1,
  use_sv = TRUE,
  sparse = FALSE,
  med = FALSE,
  warn = FALSE,
  ...
)

## S3 method for class 'bvhar'
predict(
  object,
  n_ahead,
  level = 0.05,
  newxreg,
  stable = FALSE,
  num_thread = 1,
  use_sv = TRUE,
  sparse = FALSE,
  med = FALSE,
  warn = FALSE,
  ...
)

## S3 method for class 'predbvhar'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

is.predbvhar(x)

## S3 method for class 'predbvhar'
knit_print(x, ...)

```

Arguments

object	Model object
n_ahead	step to forecast
level	Specify alpha of confidence interval level 100(1 - alpha) percentage. By default,

	.05.
newxreg	New values for exogenous variables. Should have the same row numbers with n_ahead.
...	not used
n_iter	Number to sample residual matrix from inverse-wishart distribution. By default, 100.
num_thread	Number of threads
stable	[Experimental] Filter only stable coefficient draws in MCMC records.
sparse	[Experimental] Apply restriction. By default, FALSE. Give CI level (e.g. .05) instead of TRUE to use credible interval across MCMC for restriction.
med	[Experimental] If TRUE, use median of forecast draws instead of mean (default).
warn	Give warning for stability of each coefficients record. By default, FALSE.
use_sv	Use SV term
x	Any object
digits	digit option to print

Value

predbvhar [class](#) with the following components:

process object\$process
forecast forecast matrix
se standard error matrix
lower lower confidence interval
upper upper confidence interval
lower_joint lower CI adjusted (Bonferroni)
upper_joint upper CI adjusted (Bonferroni)
y object\$y

n-step ahead forecasting VAR(p)

See pp35 of Lütkepohl (2007). Consider h-step ahead forecasting (e.g. $n + 1, \dots, n + h$).

Let $y_{(n)}^T = (y_n^T, \dots, y_{n-p+1}^T, 1)$. Then one-step ahead (point) forecasting:

$$\hat{y}_{n+1}^T = y_{(n)}^T \hat{B}$$

Recursively, let $\hat{y}_{(n+1)}^T = (\hat{y}_{n+1}^T, y_n^T, \dots, y_{n-p+2}^T, 1)$. Then two-step ahead (point) forecasting:

$$\hat{y}_{n+2}^T = \hat{y}_{(n+1)}^T \hat{B}$$

Similarly, h-step ahead (point) forecasting:

$$\hat{y}_{n+h}^T = \hat{y}_{(n+h-1)}^T \hat{B}$$

How about confident region? Confidence interval at h-period is

$$y_{k,t}(h) \pm z_{(\alpha/2)}\sigma_k(h)$$

Joint forecast region of $100(1 - \alpha)\%$ can be computed by

$$\{(y_{k,1}, y_{k,h}) \mid y_{k,n}(i) - z_{(\alpha/2h)}\sigma_n(i) \leq y_{n,i} \leq y_{k,n}(i) + z_{(\alpha/2h)}\sigma_k(i), i = 1, \dots, h\}$$

See the pp41 of Lütkepohl (2007).

To compute covariance matrix, it needs VMA representation:

$$Y_t(h) = c + \sum_{i=h}^{\infty} W_i \epsilon_{t+h-i} = c + \sum_{i=0}^{\infty} W_{h+i} \epsilon_{t-i}$$

Then

$$\Sigma_y(h) = MSE[y_t(h)] = \sum_{i=0}^{h-1} W_i \Sigma_{\epsilon} W_i^T = \Sigma_y(h-1) + W_{h-1} \Sigma_{\epsilon} W_{h-1}^T$$

n-step ahead forecasting VHAR

Let T_{HAR} is VHAR linear transformation matrix. Since VHAR is the linearly transformed VAR(22), let $y_{(n)}^T = (y_n^T, y_{n-1}^T, \dots, y_{n-21}^T, 1)$.

Then one-step ahead (point) forecasting:

$$\hat{y}_{n+1}^T = y_{(n)}^T T_{HAR} \hat{\Phi}$$

Recursively, let $\hat{y}_{(n+1)}^T = (\hat{y}_{n+1}^T, y_n^T, \dots, y_{n-20}^T, 1)$. Then two-step ahead (point) forecasting:

$$\hat{y}_{n+2}^T = \hat{y}_{(n+1)}^T T_{HAR} \hat{\Phi}$$

and h-step ahead (point) forecasting:

$$\hat{y}_{n+h}^T = \hat{y}_{(n+h-1)}^T T_{HAR} \hat{\Phi}$$

n-step ahead forecasting BVAR(p) with minnesota prior

Point forecasts are computed by posterior mean of the parameters. See Section 3 of Bańbura et al. (2010).

Let $\hat{B}$ be the posterior MN mean and let $\hat{V}$ be the posterior MN precision.

Then predictive posterior for each step

$$y_{n+1} \mid \Sigma_e, y \sim N(\text{vec}(y_{(n)}^T A), \Sigma_e \otimes (1 + y_{(n)}^T \hat{V}^{-1} y_{(n)}))$$

$$y_{n+2} \mid \Sigma_e, y \sim N(\text{vec}(\hat{y}_{(n+1)}^T A), \Sigma_e \otimes (1 + \hat{y}_{(n+1)}^T \hat{V}^{-1} \hat{y}_{(n+1)}))$$

and recursively,

$$y_{n+h} \mid \Sigma_e, y \sim N(\text{vec}(\hat{y}_{(n+h-1)}^T A), \Sigma_e \otimes (1 + \hat{y}_{(n+h-1)}^T \hat{V}^{-1} \hat{y}_{(n+h-1)}))$$

n-step ahead forecasting BVHAR

Let $\hat{\Phi}$ be the posterior MN mean and let $\hat{\Psi}$ be the posterior MN precision.

Then predictive posterior for each step

$$y_{n+1} \mid \Sigma_e, y \sim N(\text{vec}(y_{(n)}^T \tilde{T}^T \Phi), \Sigma_e \otimes (1 + y_{(n)}^T \tilde{T} \hat{\Psi}^{-1} \tilde{T} y_{(n)}))$$

$$y_{n+2} \mid \Sigma_e, y \sim N(\text{vec}(y_{(n+1)}^T \tilde{T}^T \Phi), \Sigma_e \otimes (1 + y_{(n+1)}^T \tilde{T} \hat{\Psi}^{-1} \tilde{T} y_{(n+1)}))$$

and recursively,

$$y_{n+h} \mid \Sigma_e, y \sim N(\text{vec}(y_{(n+h-1)}^T \tilde{T}^T \Phi), \Sigma_e \otimes (1 + y_{(n+h-1)}^T \tilde{T} \hat{\Psi}^{-1} \tilde{T} y_{(n+h-1)}))$$

References

- Lütkepohl, H. (2007). *New Introduction to Multiple Time Series Analysis*. Springer Publishing.
- Corsi, F. (2008). *A Simple Approximate Long-Memory Model of Realized Volatility*. Journal of Financial Econometrics, 7(2), 174-196.
- Baek, C. and Park, M. (2021). *Sparse vector heterogeneous autoregressive modeling for realized volatility*. J. Korean Stat. Soc. 50, 495-510.
- Bańbura, M., Giannone, D., & Reichlin, L. (2010). *Large Bayesian vector auto regressions*. Journal of Applied Econometrics, 25(1).
- Gelman, A., Carlin, J. B., Stern, H. S., & Rubin, D. B. (2013). *Bayesian data analysis*. Chapman and Hall/CRC.
- Karlsson, S. (2013). *Chapter 15 Forecasting with Bayesian Vector Autoregression*. Handbook of Economic Forecasting, 2, 791-897.
- Litterman, R. B. (1986). *Forecasting with Bayesian Vector Autoregressions: Five Years of Experience*. Journal of Business & Economic Statistics, 4(1), 25.
- Ghosh, S., Khare, K., & Michailidis, G. (2018). *High-Dimensional Posterior Consistency in Bayesian Vector Autoregressive Models*. Journal of the American Statistical Association, 114(526).
- Korobilis, D. (2013). *VAR FORECASTING USING BAYESIAN VARIABLE SELECTION*. Journal of Applied Econometrics, 28(2).
- Korobilis, D. (2013). *VAR FORECASTING USING BAYESIAN VARIABLE SELECTION*. Journal of Applied Econometrics, 28(2).
- Huber, F., Koop, G., & Onorante, L. (2021). *Inducing Sparsity and Shrinkage in Time-Varying Parameter Models*. Journal of Business & Economic Statistics, 39(3), 669-683.

print.summary.bvharsp *Summarizing BVAR and BVHAR with Shrinkage Priors*

Description

Conduct variable selection.

Usage

```
## S3 method for class 'summary.bvharsp'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

## S3 method for class 'summary.bvharsp'
knit_print(x, ...)

## S3 method for class 'ssvsmod'
summary(object, method = c("pip", "ci"), threshold = 0.5, level = 0.05, ...)

## S3 method for class 'hsmod'
summary(object, method = c("pip", "ci"), threshold = 0.5, level = 0.05, ...)

## S3 method for class 'ngmod'
summary(object, level = 0.05, ...)
```

Arguments

x	summary.bvharsp object
digits	digit option to print
...	not used
object	Model fit
method	Use PIP (pip) or credible interval (ci).
threshold	Threshold for posterior inclusion probability
level	Specify alpha of credible interval level 100(1 - alpha) percentage. By default, .05.

Value

summary.ssvsmod object
 hsmod object
 ngmod object

References

- George, E. I., & McCulloch, R. E. (1993). *Variable Selection via Gibbs Sampling*. Journal of the American Statistical Association, 88(423), 881-889.
- George, E. I., Sun, D., & Ni, S. (2008). *Bayesian stochastic search for VAR model restrictions*. Journal of Econometrics, 142(1), 553-580.
- Koop, G., & Korobilis, D. (2009). *Bayesian Multivariate Time Series Methods for Empirical Macroeconomics*. Foundations and Trends® in Econometrics, 3(4), 267-358.
- O'Hara, R. B., & Sillanpää, M. J. (2009). *A review of Bayesian variable selection methods: what, how and which*. Bayesian Analysis, 4(1), 85-117.

relmae

Evaluate the Model Based on RelMAE (Relative MAE)

Description

This function computes RelMAE given prediction result versus evaluation set.

Usage

```
relmae(x, pred_bench, y, ...)

## S3 method for class 'predbvhar'
relmae(x, pred_bench, y, ...)

## S3 method for class 'bvharcv'
relmae(x, pred_bench, y, ...)
```

Arguments

x	Forecasting object to use
pred_bench	The same forecasting object from benchmark model
y	Test data to be compared. should be the same format with the train data.
...	not used

Details

Let $e_t = y_t - \hat{y}_t$. RelMAE implements MAE of benchmark model as relative measures. Let MAE_b be the MAE of the benchmark model. Then

$$RelMAE = \frac{MAE}{MAE_b}$$

where MAE is the MAE of our model.

Value

RelMAE vector corresponding to each variable.

References

Hyndman, R. J., & Koehler, A. B. (2006). *Another look at measures of forecast accuracy*. International Journal of Forecasting, 22(4), 679-688.

reispne	Evaluate the Estimation Based on Relative Spectral Norm Error
---------	---

Description

This function computes relative estimation error given estimated model and true coefficient.

Usage

```
reispne(x, y, ...)  
  
## S3 method for class 'bvharasp'  
reispne(x, y, ...)
```

Arguments

- x Estimated model.
- y Coefficient matrix to be compared.
- ... not used

Details

Let $\|\cdot\|_2$ be the spectral norm of a matrix, let $\hat{\Phi}$ be the estimates, and let Φ be the true coefficients matrix. Then the function computes relative estimation error by

$$\frac{\|\hat{\Phi} - \Phi\|_2}{\|\Phi\|_2}$$

Value

Spectral norm value

References

Ghosh, S., Khare, K., & Michailidis, G. (2018). *High-Dimensional Posterior Consistency in Bayesian Vector Autoregressive Models*. Journal of the American Statistical Association, 114(526).

residuals

Residual Matrix from Multivariate Time Series Models

Description

By defining `stats::residuals()` for each model, this function returns residual.

Usage

```
## S3 method for class 'varlse'
residuals(object, ...)

## S3 method for class 'vharlse'
residuals(object, ...)

## S3 method for class 'bvarmn'
residuals(object, ...)

## S3 method for class 'bvarflat'
residuals(object, ...)

## S3 method for class 'bvharmn'
residuals(object, ...)
```

Arguments

object	Model object
...	not used

Value

`matrix` object.

rmafe

Evaluate the Model Based on RMAFE

Description

This function computes RMAFE (Mean Absolute Forecast Error Relative to the Benchmark)

Usage

```

rmafe(x, pred_bench, y, ...)

## S3 method for class 'predbvhar'
rmafe(x, pred_bench, y, ...)

## S3 method for class 'bvharcv'
rmafe(x, pred_bench, y, ...)

```

Arguments

x	Forecasting object to use
pred_bench	The same forecasting object from benchmark model
y	Test data to be compared. should be the same format with the train data.
...	not used

Details

Let $e_t = y_t - \hat{y}_t$. RMAFE is the ratio of L1 norm of e_t from forecasting object and from benchmark model.

$$RMAFE = \frac{\sum(\|e_t\|)}{\sum(\|e_t^{(b)}\|)}$$

where $e_t^{(b)}$ is the error from the benchmark model.

Value

RMAFE vector corresponding to each variable.

References

- Hyndman, R. J., & Koehler, A. B. (2006). *Another look at measures of forecast accuracy*. International Journal of Forecasting, 22(4), 679-688.
- Bańbura, M., Giannone, D., & Reichlin, L. (2010). *Large Bayesian vector auto regressions*. Journal of Applied Econometrics, 25(1).
- Ghosh, S., Khare, K., & Michailidis, G. (2018). *High-Dimensional Posterior Consistency in Bayesian Vector Autoregressive Models*. Journal of the American Statistical Association, 114(526).

rmape

Evaluate the Model Based on RMAPE (Relative MAPE)

Description

This function computes RMAPE given prediction result versus evaluation set.

Usage

```
rmape(x, pred_bench, y, ...)

## S3 method for class 'predbvhar'
rmape(x, pred_bench, y, ...)

## S3 method for class 'bvharcv'
rmape(x, pred_bench, y, ...)
```

Arguments

x	Forecasting object to use
pred_bench	The same forecasting object from benchmark model
y	Test data to be compared. should be the same format with the train data.
...	not used

Details

RMAPE is the ratio of MAPE of given model and the benchmark one. Let $MAPE_b$ be the MAPE of the benchmark model. Then

$$RMAPE = \frac{mean(MAPE)}{mean(MAPE_b)}$$

where $MAPE$ is the MAPE of our model.

Value

RMAPE vector corresponding to each variable.

References

Hyndman, R. J., & Koehler, A. B. (2006). *Another look at measures of forecast accuracy*. International Journal of Forecasting, 22(4), 679-688.

rmase

Evaluate the Model Based on RMASE (Relative MASE)

Description

This function computes RMASE given prediction result versus evaluation set.

Usage

```
rmase(x, pred_bench, y, ...)

## S3 method for class 'predbvhar'
rmase(x, pred_bench, y, ...)

## S3 method for class 'bvharcv'
rmase(x, pred_bench, y, ...)
```

Arguments

x	Forecasting object to use
pred_bench	The same forecasting object from benchmark model
y	Test data to be compared. should be the same format with the train data.
...	not used

Details

RMASE is the ratio of MAPE of given model and the benchmark one. Let $MASE_b$ be the MAPE of the benchmark model. Then

$$RMASE = \frac{mean(MASE)}{mean(MASE_b)}$$

where $MASE$ is the MASE of our model.

Value

RMASE vector corresponding to each variable.

References

Hyndman, R. J., & Koehler, A. B. (2006). *Another look at measures of forecast accuracy*. International Journal of Forecasting, 22(4), 679-688.

rmsfe

*Evaluate the Model Based on RMSFE***Description**

This function computes RMSFE (Mean Squared Forecast Error Relative to the Benchmark)

Usage

```
rmsfe(x, pred_bench, y, ...)

## S3 method for class 'predbvhar'
rmsfe(x, pred_bench, y, ...)

## S3 method for class 'bvharcv'
rmsfe(x, pred_bench, y, ...)
```

Arguments

x	Forecasting object to use
pred_bench	The same forecasting object from benchmark model
y	Test data to be compared. should be the same format with the train data.
...	not used

Details

Let $e_t = y_t - \hat{y}_t$. RMSFE is the ratio of L2 norm of e_t from forecasting object and from benchmark model.

$$RMSFE = \frac{\sum(\|e_t\|)}{\sum(\|e_t^{(b)}\|)}$$

where $e_t^{(b)}$ is the error from the benchmark model.

Value

RMSFE vector corresponding to each variable.

References

- Hyndman, R. J., & Koehler, A. B. (2006). *Another look at measures of forecast accuracy*. International Journal of Forecasting, 22(4), 679-688.
- Bañbura, M., Giannone, D., & Reichlin, L. (2010). *Large Bayesian vector auto regressions*. Journal of Applied Econometrics, 25(1).
- Ghosh, S., Khare, K., & Michailidis, G. (2018). *High-Dimensional Posterior Consistency in Bayesian Vector Autoregressive Models*. Journal of the American Statistical Association, 114(526).

set_bvar

Hyperparameters for Bayesian Models

Description

Set hyperparameters of Bayesian VAR and VHAR models.

Usage

```
set_bvar(sigma, lambda = 0.1, delta, eps = 1e-04)

set_bvar_flat(U)

set_bvhar(sigma, lambda = 0.1, delta, eps = 1e-04)

set_weight_bvhar(sigma, lambda = 0.1, eps = 1e-04, daily, weekly, monthly)

## S3 method for class 'bvhar-spec'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

is.bvhar-spec(x)

## S3 method for class 'bvhar-spec'
knit_print(x, ...)
```

Arguments

sigma	Standard error vector for each variable (Default: sd)
lambda	Tightness of the prior around a random walk or white noise (Default: .1)
delta	Persistence (Default: Litterman sets 1 = random walk prior, White noise prior = 0)
eps	Very small number (Default: 1e-04)
U	Positive definite matrix. By default, identity matrix of dimension ncol(X0)
daily	Same as delta in VHAR type (Default: 1 as Litterman)
weekly	Fill the second part in the first block (Default: 1)
monthly	Fill the third part in the first block (Default: 1)
x	Any object
digits	digit option to print
...	not used

Details

- Missing arguments will be set to be default values in each model function mentioned above.
- `set_bvar()` sets hyperparameters for `bvar_minnesota()`.
- Each `delta` (vector), `lambda` (length of 1), `sigma` (vector), `eps` (vector) corresponds to δ_j , λ , δ_j , ϵ .

δ_i are related to the belief to random walk.

- If $\delta_i = 1$ for all i , random walk prior
- If $\delta_i = 0$ for all i , white noise prior

λ controls the overall tightness of the prior around these two prior beliefs.

- If $\lambda = 0$, the posterior is equivalent to prior and the data do not influence the estimates.
- If $\lambda = \infty$, the posterior mean becomes OLS estimates (VAR).

σ_i^2/σ_j^2 in Minnesota moments explain the data scales.

- `set_bvar_flat` sets hyperparameters for `bvar_flat()`.
- `set_bvhar()` sets hyperparameters for `bvhar_minnesota()` with VAR-type Minnesota prior, i.e. BVHAR-S model.
- `set_weight_bvhar()` sets hyperparameters for `bvhar_minnesota()` with VHAR-type Minnesota prior, i.e. BVHAR-L model.

Value

Every function returns `bvharspec` class. It is the list of which the components are the same as the arguments provided. If the argument is not specified, NULL is assigned here. The default values mentioned above will be considered in each fitting function.

process Model name: BVAR, BVHAR

prior Prior name: Minnesota (Minnesota prior for BVAR), Hierarchical (Hierarchical prior for BVAR), MN_VAR (BVHAR-S), MN_VHAR (BVHAR-L), Flat (Flat prior for BVAR)

sigma Vector value (or `bvharpriorspec` class) assigned for sigma

lambda Value (or `bvharpriorspec` class) assigned for lambda

delta Vector value assigned for delta

eps Value assigned for epsilon

`set_weight_bvhar()` has different component with `delta` due to its different construction.

daily Vector value assigned for daily weight

weekly Vector value assigned for weekly weight

monthly Vector value assigned for monthly weight

Note

By using `set_psi()` and `set_lambda()` each, hierarchical modeling is available.

References

- Bañbura, M., Giannone, D., & Reichlin, L. (2010). *Large Bayesian vector auto regressions*. Journal of Applied Econometrics, 25(1).
- Litterman, R. B. (1986). *Forecasting with Bayesian Vector Autoregressions: Five Years of Experience*. Journal of Business & Economic Statistics, 4(1), 25.
- Ghosh, S., Khare, K., & Michailidis, G. (2018). *High-Dimensional Posterior Consistency in Bayesian Vector Autoregressive Models*. Journal of the American Statistical Association, 114(526).
- Kim, Y. G., and Baek, C. (2024). *Bayesian vector heterogeneous autoregressive modeling*. Journal of Statistical Computation and Simulation, 94(6), 1139-1157.
- Kim, Y. G., and Baek, C. (2024). *Bayesian vector heterogeneous autoregressive modeling*. Journal of Statistical Computation and Simulation, 94(6), 1139-1157.

See Also

- lambda hyperprior specification [set_lambda\(\)](#)
- sigma hyperprior specification [set_psi\(\)](#)

Examples

```
# Minnesota BVAR specification-----
bvar_spec <- set_bvar(
  sigma = c(.03, .02, .01), # Sigma = diag(.03^2, .02^2, .01^2)
  lambda = .2, # lambda = .2
  delta = rep(.1, 3), # delta1 = .1, delta2 = .1, delta3 = .1
  eps = 1e-04 # eps = 1e-04
)
class(bvar_spec)
str(bvar_spec)
# Flat BVAR specification-----
# 3-dim
# p = 5 with constant term
# U = 500 * I(mp + 1)
bvar_flat_spec <- set_bvar_flat(U = 500 * diag(16))
class(bvar_flat_spec)
str(bvar_flat_spec)
# BVHAR-S specification-----
bvhar_var_spec <- set_bvhar(
  sigma = c(.03, .02, .01), # Sigma = diag(.03^2, .02^2, .01^2)
  lambda = .2, # lambda = .2
  delta = rep(.1, 3), # delta1 = .1, delta2 = .1, delta3 = .1
  eps = 1e-04 # eps = 1e-04
)
class(bvhar_var_spec)
str(bvhar_var_spec)
# BVHAR-L specification-----
bvhar_vhar_spec <- set_weight_bvhar(
  sigma = c(.03, .02, .01), # Sigma = diag(.03^2, .02^2, .01^2)
  lambda = .2, # lambda = .2
  eps = 1e-04, # eps = 1e-04
```

```

daily = rep(.2, 3), # daily1 = .2, daily2 = .2, daily3 = .2
weekly = rep(.1, 3), # weekly1 = .1, weekly2 = .1, weekly3 = .1
monthly = rep(.05, 3) # monthly1 = .05, monthly2 = .05, monthly3 = .05
)
class(bvhar_vhar_spec)
str(bvhar_vhar_spec)

```

set_dl	<i>Dirichlet-Laplace Hyperparameter for Coefficients and Contemporaneous Coefficients</i>
--------	---

Description

[Experimental] Set DL hyperparameters for VAR or VHAR coefficient and contemporaneous coefficient.

Usage

```

set_dl(dir_grid = 100L, shape = 0.01, scale = 0.01)

## S3 method for class 'dlspec'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

is.dlspec(x)

```

Arguments

dir_grid	Griddy gibbs grid size for Dirichlet hyperparameter
shape	Inverse Gamma shape
scale	Inverse Gamma scale
x	Any object
digits	digit option to print
...	not used

Value

dlspec object

References

Bhattacharya, A., Pati, D., Pillai, N. S., & Dunson, D. B. (2015). *Dirichlet-Laplace Priors for Optimal Shrinkage*. Journal of the American Statistical Association, 110(512), 1479-1490.

Korobilis, D., & Shimizu, K. (2022). *Bayesian Approaches to Shrinkage and Sparse Estimation*. Foundations and Trends® in Econometrics, 11(4), 230-354.

set_gdp	<i>Generalized Double Pareto Shrinkage Hyperparameters for Coefficients and Contemporaneous Coefficients</i>
---------	--

Description

[Experimental] Set GDP hyperparameters for VAR or VHAR coefficient and contemporaneous coefficient.

Usage

```
set_gdp(shape_grid = 100L, rate_grid = 100L)
```

```
is.gdpspec(x)
```

Arguments

shape_grid	Griddy gibbs grid size for Gamma shape hyperparameter
rate_grid	Griddy gibbs grid size for Gamma rate hyperparameter
x	Any object

Value

gdpspec object

References

Armagan, A., Dunson, D. B., & Lee, J. (2013). *GENERALIZED DOUBLE PARETO SHRINKAGE*. Statistica Sinica, 23(1), 119–143.

Korobilis, D., & Shimizu, K. (2022). *Bayesian Approaches to Shrinkage and Sparse Estimation*. Foundations and Trends® in Econometrics, 11(4), 230-354.

set_horseshoe	<i>Horseshoe Prior Specification</i>
---------------	--------------------------------------

Description

Set initial hyperparameters and parameter before starting Gibbs sampler for Horseshoe prior.

Usage

```
set_horseshoe(local_sparsity = 1, group_sparsity = 1, global_sparsity = 1)

## S3 method for class 'horseshoespec'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

is.horseshoespec(x)

## S3 method for class 'horseshoespec'
knit_print(x, ...)
```

Arguments

local_sparsity	Initial local shrinkage hyperparameters
group_sparsity	Initial group shrinkage hyperparameters
global_sparsity	Initial global shrinkage hyperparameter
x	Any object
digits	digit option to print
...	not used

Details

Set horseshoe prior initialization for VAR family.

- local_sparsity: Initial local shrinkage
- group_sparsity: Initial group shrinkage
- global_sparsity: Initial global shrinkage

In this package, horseshoe prior model is estimated by Gibbs sampling, initial means initial values for that gibbs sampler.

References

- Carvalho, C. M., Polson, N. G., & Scott, J. G. (2010). The horseshoe estimator for sparse signals. *Biometrika*, 97(2), 465-480.
- Makalic, E., & Schmidt, D. F. (2016). *A Simple Sampler for the Horseshoe Estimator*. *IEEE Signal Processing Letters*, 23(1), 179-182.

set_intercept	<i>Prior for Constant Term</i>
---------------	--------------------------------

Description

Set Normal prior hyperparameters for constant term

Usage

```
set_intercept(mean = 0, sd = 0.1)

## S3 method for class 'interceptspec'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

is.interceptspec(x)

## S3 method for class 'interceptspec'
knit_print(x, ...)
```

Arguments

mean	Normal mean of constant term
sd	Normal standard deviance for constant term
x	Any object
digits	digit option to print
...	not used

set_lambda	<i>Hyperpriors for Bayesian Models</i>
------------	--

Description

Set hyperpriors of Bayesian VAR and VHAR models.

Usage

```
set_lambda(
  mode = 0.2,
  sd = 0.4,
  param = NULL,
  lower = 1e-05,
  upper = 3,
  grid_size = 100L
)
```



```

set_psi(shape = 4e-04, scale = 4e-04, lower = 1e-05, upper = 3)

## S3 method for class 'bvharpriorspec'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

is.bvharpriorspec(x)

## S3 method for class 'bvharpriorspec'
knit_print(x, ...)

```

Arguments

mode	Mode of Gamma distribution. By default, .2.
sd	Standard deviation of Gamma distribution. By default, .4.
param	Shape and rate of Gamma distribution, in the form of c(shape, rate). If specified, ignore mode and sd.
lower	[Experimental] Lower bound for <code>stats::optim()</code> . By default, 1e-5.
upper	[Experimental] Upper bound for <code>stats::optim()</code> . By default, 3.
grid_size	Griddy gibbs grid size for lag scaling
shape	Shape of Inverse Gamma distribution. By default, $(.02)^2$.
scale	Scale of Inverse Gamma distribution. By default, $(.02)^2$.
x	Any object
digits	digit option to print
...	not used

Details

In addition to Normal-IW priors `set_bvar()`, `set_bvhar()`, and `set_weight_bvhar()`, these functions give hierarchical structure to the model.

- `set_lambda()` specifies hyperprior for λ (lambda), which is Gamma distribution.
- `set_psi()` specifies hyperprior for $\psi/(\nu_0 - k - 1) = \sigma^2$ (sigma), which is Inverse gamma distribution.

The following set of (mode, sd) are recommended by Sims and Zha (1998) for `set_lambda()`.

- (mode = .2, sd = .4): default
- (mode = 1, sd = 1)

Giannone et al. (2015) suggested data-based selection for `set_psi()`. It chooses $(0.02)^2$ based on its empirical data set.

Value

bvharpriorspec object

References

Giannone, D., Lenza, M., & Primiceri, G. E. (2015). *Prior Selection for Vector Autoregressions*. Review of Economics and Statistics, 97(2).

Examples

```
# Hirearchical BVAR specification-----
set_bvar(
  sigma = set_psi(shape = 4e-4, scale = 4e-4),
  lambda = set_lambda(mode = .2, sd = .4),
  delta = rep(1, 3),
  eps = 1e-04 # eps = 1e-04
)
```

set_ldlt	Covariance Matrix Prior Specification
----------	---------------------------------------

Description

[Experimental] Set prior for covariance matrix.

Usage

```
set_ldlt(ig_shape = 3, ig_scl = 0.01)

set_sv(ig_shape = 3, ig_scl = 0.01, initial_mean = 1, initial_prec = 0.1)

## S3 method for class 'covspec'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

is.covspec(x)

is.svspec(x)

is.ldltspec(x)
```

Arguments

ig_shape	Inverse-Gamma shape of Cholesky diagonal vector. For SV (set_sv()), this is for state variance.
ig_scl	Inverse-Gamma scale of Cholesky diagonal vector. For SV (set_sv()), this is for state variance.
initial_mean	Prior mean of initial state.
initial_prec	Prior precision of initial state.
x	Any object
digits	digit option to print
...	not used

Details

`set_ldlt()` specifies LDLT of precision matrix,

$$\Sigma^{-1} = L^T D^{-1} L$$

`set_sv()` specifies time varying precision matrix under stochastic volatility framework based on

$$\Sigma_t^{-1} = L^T D_t^{-1} L$$

References

Carriero, A., Chan, J., Clark, T. E., & Marcellino, M. (2022). *Corrigendum to “Large Bayesian vector autoregressions with stochastic volatility and non-conjugate priors” [J. Econometrics 212 (1)(2019) 137-154]*. *Journal of Econometrics*, 227(2), 506-512.

Chan, J., Koop, G., Poirier, D., & Tobias, J. (2019). *Bayesian Econometric Methods (2nd ed., Econometric Exercises)*. Cambridge: Cambridge University Press.

set_ng	<i>Normal-Gamma Hyperparameter for Coefficients and Contemporaneous Coefficients</i>
--------	--

Description

[Experimental] Set NG hyperparameters for VAR or VHAR coefficient and contemporaneous coefficient.

Usage

```
set_ng(
  shape_sd = 0.01,
  group_shape = 0.01,
  group_scale = 0.01,
  global_shape = 0.01,
  global_scale = 0.01
)

## S3 method for class 'ngspec'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

is.ngspec(x)
```

Arguments

shape_sd	Standard deviation used in MH of Gamma shape
group_shape	Inverse gamma prior shape for coefficient group shrinkage
group_scale	Inverse gamma prior scale for coefficient group shrinkage

global_shape	Inverse gamma prior shape for coefficient global shrinkage
global_scale	Inverse gamma prior scale for coefficient global shrinkage
x	Any object
digits	digit option to print
...	not used

Value

ngspec object

References

- Chan, J. C. C. (2021). *Minnesota-type adaptive hierarchical priors for large Bayesian VARs*. *International Journal of Forecasting*, 37(3), 1212-1226.
- Huber, F., & Feldkircher, M. (2019). *Adaptive Shrinkage in Bayesian Vector Autoregressive Models*. *Journal of Business & Economic Statistics*, 37(1), 27-39.
- Korobilis, D., & Shimizu, K. (2022). *Bayesian Approaches to Shrinkage and Sparse Estimation*. *Foundations and Trends® in Econometrics*, 11(4), 230-354.

set_ssvs	<i>Stochastic Search Variable Selection (SSVS) Hyperparameter for Coefficients Matrix and Cholesky Factor</i>
----------	---

Description

Set SSVS hyperparameters for VAR or VHAR coefficient matrix and Cholesky factor.

Usage

```
set_ssvs(
  spike_grid = 100L,
  slab_shape = 0.01,
  slab_scl = 0.01,
  s1 = c(1, 1),
  s2 = c(1, 1),
  shape = 0.01,
  rate = 0.01
)

## S3 method for class 'ssvsinput'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

is.ssvsinput(x)

## S3 method for class 'ssvsinput'
knit_print(x, ...)
```

Arguments

spike_grid	Griddy gibbs grid size for scaling factor (between 0 and 1) of spike sd which is Spike sd = c * slab sd
slab_shape	Inverse gamma shape for slab sd
slab_scl	Inverse gamma scale for slab sd
s1	First shape of coefficients prior beta distribution
s2	Second shape of coefficients prior beta distribution
shape	Gamma shape parameters for precision matrix (See Details).
rate	Gamma rate parameters for precision matrix (See Details).
x	Any object
digits	digit option to print
...	not used

Details

Let α be the vectorized coefficient, $\alpha = \text{vec}(A)$. Spike-slab prior is given using two normal distributions.

$$\alpha_j \mid \gamma_j \sim (1 - \gamma_j)N(0, \tau_{0j}^2) + \gamma_j N(0, \tau_{1j}^2)$$

As spike-slab prior itself suggests, set τ_{0j} small (point mass at zero: spike distribution) and set τ_{1j} large (symmetric by zero: slab distribution).

γ_j is the proportion of the nonzero coefficients and it follows

$$\gamma_j \sim \text{Bernoulli}(p_j)$$

- coef_spike: τ_{0j}
- coef_slab: τ_{1j}
- coef_mixture: p_j
- $j = 1, \dots, mk$: vectorized format corresponding to coefficient matrix
- If one value is provided, model function will read it by replicated value.
- coef_non: vectorized constant term is given prior Normal distribution with variance cI . Here, coef_non is $\sqrt{c}$.

Next for precision matrix Σ_e^{-1} , SSVS applies Cholesky decomposition.

$$\Sigma_e^{-1} = \Psi \Psi^T$$

where $\Psi = \{\psi_{ij}\}$ is upper triangular.

Diagonal components follow the gamma distribution.

$$\psi_{jj}^2 \sim \text{Gamma}(\text{shape} = a_j, \text{rate} = b_j)$$

For each row of off-diagonal (upper-triangular) components, we apply spike-slab prior again.

$$\psi_{ij} \mid w_{ij} \sim (1 - w_{ij})N(0, \kappa_{0,ij}^2) + w_{ij}N(0, \kappa_{1,ij}^2)$$

$$w_{ij} \sim \text{Bernoulli}(q_{ij})$$

- shape: a_j
- rate: b_j
- chol_spike: $\kappa_{0,ij}$
- chol_slab: $\kappa_{1,ij}$
- chol_mixture: q_{ij}
- $j = 1, \dots, mk$: vectorized format corresponding to coefficient matrix
- $i = 1, \dots, j-1$ and $j = 2, \dots, m$: $\eta = (\psi_{12}, \psi_{13}, \psi_{23}, \psi_{14}, \dots, \psi_{34}, \dots, \psi_{1m}, \dots, \psi_{m-1,m})^T$
- chol_ arguments can be one value for replication, vector, or upper triangular matrix.

Value

ssvsinput object

References

- George, E. I., & McCulloch, R. E. (1993). *Variable Selection via Gibbs Sampling*. Journal of the American Statistical Association, 88(423), 881-889.
- George, E. I., Sun, D., & Ni, S. (2008). *Bayesian stochastic search for VAR model restrictions*. Journal of Econometrics, 142(1), 553-580.
- Ishwaran, H., & Rao, J. S. (2005). *Spike and slab variable selection: Frequentist and Bayesian strategies*. The Annals of Statistics, 33(2).
- Koop, G., & Korobilis, D. (2009). *Bayesian Multivariate Time Series Methods for Empirical Macroeconomics*. Foundations and Trends® in Econometrics, 3(4), 267-358.

sim_iw

Generate Inverse-Wishart Random Matrix

Description

This function samples one matrix IW matrix.

Usage

```
sim_iw(mat_scale, shape)
```

Arguments

mat_scale	Scale matrix
shape	Shape

Details

Consider $\Sigma \sim IW(\Psi, \nu)$.

1. Upper triangular Bartlett decomposition: $k \times k$ matrix $Q = [q_{ij}]$ upper triangular with
 - (a) $q_{ii}^2 \chi_{\nu-i+1}^2$
 - (b) $q_{ij} \sim N(0, 1)$ with $i < j$ (upper triangular)
2. Lower triangular Cholesky decomposition: $\Psi = LL^T$
3. $A = L(Q^{-1})^T$
4. $\Sigma = AA^T \sim IW(\Psi, \nu)$

Value

One $k \times k$ matrix following IW distribution

sim_matgaussian	<i>Generate Matrix Normal Random Matrix</i>
-----------------	---

Description

This function samples one matrix gaussian matrix.

Usage

```
sim_matgaussian(mat_mean, mat_scale_u, mat_scale_v, u_prec)
```

Arguments

mat_mean	Mean matrix
mat_scale_u	First scale matrix
mat_scale_v	Second scale matrix
u_prec	If TRUE, use mat_scale_u as its inverse.

Details

Consider $n \times k$ matrix $Y_1, \dots, Y_n \sim MN(M, U, V)$ where M is $n \times k$, U is $n \times n$, and V is $k \times k$.

1. Lower triangular Cholesky decomposition: $U = PP^T$ and $V = LL^T$
2. Standard normal generation: $s \times m$ matrix $Z_i = [z_{ij} \sim N(0, 1)]$ in row-wise direction.
3. $Y_i = M + PZ_iL^T$

This function only generates one matrix, i.e. Y_1 .

Value

One $n \times k$ matrix following MN distribution.

sim_mncoef

*Generate Minnesota BVAR Parameters***Description**

This function generates parameters of BVAR with Minnesota prior.

Usage

```
sim_mncoef(p, bayes_spec = set_bvar(), full = TRUE)
```

Arguments

p VAR lag

bayes_spec A BVAR model specification by [set_bvar\(\)](#).

full Generate variance matrix from IW (default: TRUE) or not (FALSE)?

Details

Implementing dummy observation constructions, Bańbura et al. (2010) sets Normal-IW prior.

$$A \mid \Sigma_e \sim MN(A_0, \Omega_0, \Sigma_e)$$

$$\Sigma_e \sim IW(S_0, \alpha_0)$$

If `full = FALSE`, the result of Σ_e is the same as input (`diag(sigma)`).

Value

List with the following component.

coefficients BVAR coefficient (MN)

covmat BVAR variance (IW or diagonal matrix of sigma of bayes_spec)

References

- Bańbura, M., Giannone, D., & Reichlin, L. (2010). *Large Bayesian vector auto regressions*. Journal of Applied Econometrics, 25(1).
- Karlsson, S. (2013). *Chapter 15 Forecasting with Bayesian Vector Autoregression*. Handbook of Economic Forecasting, 2, 791-897.
- Litterman, R. B. (1986). *Forecasting with Bayesian Vector Autoregressions: Five Years of Experience*. Journal of Business & Economic Statistics, 4(1), 25.

See Also

- [set_bvar\(\)](#) to specify the hyperparameters of Minnesota prior.

Examples

```
# Generate (A, Sigma)
# BVAR(p = 2)
# sigma: 1, 1, 1
# lambda: .1
# delta: .1, .1, .1
# epsilon: 1e-04
set.seed(1)
sim_mncoef(
  p = 2,
  bayes_spec = set_bvar(
    sigma = rep(1, 3),
    lambda = .1,
    delta = rep(.1, 3),
    eps = 1e-04
  ),
  full = TRUE
)
```

sim_mniw

Generate Normal-IW Random Family

Description

This function samples normal inverse-wishart matrices.

Usage

```
sim_mniw(num_sim, mat_mean, mat_scale_u, mat_scale, shape, u_prec = FALSE)
```

Arguments

num_sim	Number to generate
mat_mean	Mean matrix of MN
mat_scale_u	First scale matrix of MN
mat_scale	Scale matrix of IW
shape	Shape of IW
u_prec	If TRUE, use mat_scale_u as its inverse. By default, FALSE.

Details

Consider $(Y_i, \Sigma_i) \sim MIW(M, U, \Psi, \nu)$.

1. Generate upper triangular factor of $\Sigma_i = C_i C_i^T$ in the upper triangular Bartlett decomposition.
2. Standard normal generation: $n \times k$ matrix $Z_i = [z_{ij} \sim N(0, 1)]$ in row-wise direction.
3. Lower triangular Cholesky decomposition: $U = P P^T$
4. $A_i = M + P Z_i C_i^T$

sim_mnormal

Generate Multivariate Normal Random Vector

Description

This function samples $n \times k$ multi-dimensional normal random matrix.

Usage

```
sim_mnormal(
  num_sim,
  mu = rep(0, 5),
  sig = diag(5),
  method = c("eigen", "chol")
)
```

Arguments

num_sim	Number to generate process
mu	Mean vector
sig	Variance matrix
method	Method to compute $\Sigma^{1/2}$. Choose between eigen (spectral decomposition) and chol (cholesky decomposition). By default, eigen.

Details

Consider $x_1, \dots, x_n \sim N_m(\mu, \Sigma)$.

1. Lower triangular Cholesky decomposition: $\Sigma = LL^T$
2. Standard normal generation: $Z_{i1}, Z_{in} \stackrel{iid}{\sim} N(0, 1)$
3. $Z_i = (Z_{i1}, \dots, Z_{in})^T$
4. $X_i = LZ_i + \mu$

Value

$T \times k$ matrix

sim_mnvhar_coef	<i>Generate Minnesota BVAR Parameters</i>
-----------------	---

Description

This function generates parameters of BVAR with Minnesota prior.

Usage

```
sim_mnvhar_coef(bayes_spec = set_bvhar(), full = TRUE)
```

Arguments

bayes_spec	A BVHAR model specification by set_bvhar() (default) or set_weight_bvhar() .
full	Generate variance matrix from IW (default: TRUE) or not (FALSE)?

Details

Normal-IW family for vector HAR model:

$$\Phi \mid \Sigma_e \sim MN(M_0, \Omega_0, \Sigma_e)$$

$$\Sigma_e \sim IW(\Psi_0, \nu_0)$$

Value

List with the following component.

coefficients BVHAR coefficient (MN)

covmat BVHAR variance (IW or diagonal matrix of sigma of bayes_spec)

References

Kim, Y. G., and Baek, C. (2024). *Bayesian vector heterogeneous autoregressive modeling*. Journal of Statistical Computation and Simulation, 94(6), 1139-1157.

See Also

- [set_bvhar\(\)](#) to specify the hyperparameters of VAR-type Minnesota prior.
- [set_weight_bvhar\(\)](#) to specify the hyperparameters of HAR-type Minnesota prior.

Examples

```
# Generate (Phi, Sigma)
# BVHAR-S
# sigma: 1, 1, 1
# lambda: .1
# delta: .1, .1, .1
# epsilon: 1e-04
set.seed(1)
sim_mnvhar_coef(
  bayes_spec = set_bvhar(
    sigma = rep(1, 3),
    lambda = .1,
    delta = rep(.1, 3),
    eps = 1e-04
  ),
  full = TRUE
)
```

sim_mvt

Generate Multivariate t Random Vector

Description

This function samples $n \times k$ multi-dimensional t-random matrix.

Usage

```
sim_mvt(num_sim, df, mu, sig, method = c("eigen", "chol"))
```

Arguments

num_sim	Number to generate process.
df	Degrees of freedom.
mu	Location vector
sig	Scale matrix.
method	Method to compute $\Sigma^{1/2}$. Choose between eigen (spectral decomposition) and chol (cholesky decomposition). By default, eigen.

Value

$T \times k$ matrix

sim_var	<i>Generate Multivariate Time Series Process Following VAR(p)</i>
---------	---

Description

This function generates multivariate time series dataset that follows VAR(p).

Usage

```
sim_var(
  num_sim,
  num_burn,
  var_coef,
  var_lag,
  sig_error = diag(ncol(var_coef)),
  init = matrix(0L, nrow = var_lag, ncol = ncol(var_coef)),
  method = c("eigen", "chol"),
  process = c("gaussian", "student"),
  t_param = 5
)
```

Arguments

num_sim	Number to generated process
num_burn	Number of burn-in
var_coef	VAR coefficient. The format should be the same as the output of <code>coef()</code> from <code>var_lm()</code>
var_lag	Lag of VAR
sig_error	Variance matrix of the error term. By default, <code>diag(dim)</code> .
init	Initial $y_1, \dots, y_p$ matrix to simulate VAR model. Try <code>matrix(0L, nrow = var_lag, ncol = dim)</code> .
method	Method to compute $\Sigma^{1/2}$. Choose between <code>eigen</code> (spectral decomposition) and <code>chol</code> (cholesky decomposition). By default, <code>eigen</code> .
process	Process to generate error term. <code>gaussian</code> : Normal distribution (default) or <code>student</code> : Multivariate t-distribution.
t_param	[Experimental] argument for MVT, e.g. DF: 5.

Details

1. Generate $\epsilon_1, \epsilon_n \sim N(0, \Sigma)$
2. For $i = 1, \dots, n$,

$$y_{p+i} = (y_{p+i-1}^T, \dots, y_i^T, 1)^T B + \epsilon_i$$

3. Then the output is $(y_{p+1}, \dots, y_{n+p})^T$

Initial values might be set to be zero vector or $(I_m - A_1 - \dots - A_p)^{-1}c$.

Value

T x k matrix

References

Lütkepohl, H. (2007). *New Introduction to Multiple Time Series Analysis*. Springer Publishing.

sim_vhar

Generate Multivariate Time Series Process Following VAR(p)

Description

This function generates multivariate time series dataset that follows VAR(p).

Usage

```
sim_vhar(
  num_sim,
  num_burn,
  vhar_coef,
  week = 5L,
  month = 22L,
  sig_error = diag(ncol(vhar_coef)),
  init = matrix(0L, nrow = month, ncol = ncol(vhar_coef)),
  method = c("eigen", "chol"),
  process = c("gaussian", "student"),
  t_param = 5
)
```

Arguments

num_sim	Number to generated process
num_burn	Number of burn-in
vhar_coef	VAR coefficient. The format should be the same as the output of <code>coef()</code> from <code>var_lm()</code>
week	Weekly order of VHAR. By default, 5.
month	Weekly order of VHAR. By default, 22.
sig_error	Variance matrix of the error term. By default, <code>diag(dim)</code> .
init	Initial $y_1, \dots, y_p$ matrix to simulate VAR model. Try <code>matrix(0L, nrow = month, ncol = dim)</code> .
method	Method to compute $\Sigma^{1/2}$. Choose between <code>eigen</code> (spectral decomposition) and <code>chol</code> (cholesky decomposition). By default, <code>eigen</code> .
process	Process to generate error term. <code>gaussian</code> : Normal distribution (default) or <code>student</code> : Multivariate t-distribution.
t_param	[Experimental] argument for MVT, e.g. DF: 5.

Details

Let M be the month order, e.g. $M = 22$.

1. Generate $\epsilon_1, \epsilon_n \sim N(0, \Sigma)$

2. For $i = 1, \dots, n$,

$$y_{M+i} = (y_{M+i-1}^T, \dots, y_i^T, 1)^T C_{HAR}^T \Phi + \epsilon_i$$

3. Then the output is $(y_{M+1}, \dots, y_{n+M})^T$

4. For $i = 1, \dots, n$,

$$y_{p+i} = (y_{p+i-1}^T, \dots, y_i^T, 1)^T B + \epsilon_i$$

5. Then the output is $(y_{p+1}, \dots, y_{n+p})^T$

Initial values might be set to be zero vector or $(I_m - A_1 - \dots - A_p)^{-1}c$.

Value

T x k matrix

References

Lütkepohl, H. (2007). *New Introduction to Multiple Time Series Analysis*. Springer Publishing.

spillover

h-step ahead Normalized Spillover

Description

This function gives connectedness table with h-step ahead normalized spillover index (a.k.a. variance shares).

Usage

```
spillover(object, n_ahead = 10L, ...)

## S3 method for class 'bvharspillover'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

## S3 method for class 'bvharspillover'
knit_print(x, ...)

## S3 method for class 'olsmod'
spillover(object, n_ahead = 10L, ...)

## S3 method for class 'normaliw'
spillover(
  object,
  n_ahead = 10L,
```

```

    num_iter = 5000L,
    num_burn = floor(num_iter/2),
    thinning = 1L,
    ...
)

## S3 method for class 'bvarldlt'
spillover(object, n_ahead = 10L, level = 0.05, sparse = FALSE, ...)

## S3 method for class 'bvharldlt'
spillover(object, n_ahead = 10L, level = 0.05, sparse = FALSE, ...)

```

Arguments

object	Model object
n_ahead	step to forecast. By default, 10.
...	not used
x	bvharspillover object
digits	digit option to print
num_iter	Number to sample MNIW distribution
num_burn	Number of burn-in
thinning	Thinning every thinning-th iteration
level	Specify alpha of confidence interval level 100(1 - alpha) percentage. By default, .05.
sparse	[Experimental] Apply restriction. By default, FALSE.

References

Diebold, F. X., & Yilmaz, K. (2012). *Better to give than to receive: Predictive directional measurement of volatility spillovers*. International Journal of forecasting, 28(1), 57-66.

 spne

Evaluate the Estimation Based on Spectral Norm Error

Description

This function computes estimation error given estimated model and true coefficient.

Usage

```

spne(x, y, ...)

## S3 method for class 'bvharisp'
spne(x, y, ...)

```


Arguments

x	Estimated model.
y	Coefficient matrix to be compared.
...	not used

Details

Let $\|\cdot\|_2$ be the spectral norm of a matrix, let $\hat{\Phi}$ be the estimates, and let Φ be the true coefficients matrix. Then the function computes estimation error by

$$\|\hat{\Phi} - \Phi\|_2$$

Value

Spectral norm value

References

Ghosh, S., Khare, K., & Michailidis, G. (2018). *High-Dimensional Posterior Consistency in Bayesian Vector Autoregressive Models*. Journal of the American Statistical Association, 114(526).

stableroot	<i>Roots of characteristic polynomial</i>
------------	---

Description

Compute the character polynomial of coefficient matrix.

Usage

```
stableroot(x, ...)

## S3 method for class 'varlse'
stableroot(x, ...)

## S3 method for class 'vharlse'
stableroot(x, ...)

## S3 method for class 'bvarmn'
stableroot(x, ...)

## S3 method for class 'bvarflat'
stableroot(x, ...)

## S3 method for class 'bvharmn'
stableroot(x, ...)
```

Arguments

x	Model fit
...	not used

Details

To know whether the process is stable or not, make characteristic polynomial.

$$\det(I_m - Az) = 0$$

where A is VAR(1) coefficient matrix representation.

Value

Numeric vector.

References

Lütkepohl, H. (2007). *New Introduction to Multiple Time Series Analysis*. Springer Publishing.

summary.normaliw

Summarizing Bayesian Multivariate Time Series Model

Description

summary method for normaliw class.

Usage

```
## S3 method for class 'normaliw'
summary(
  object,
  num_chains = 1,
  num_iter = 1000,
  num_burn = floor(num_iter/2),
  thinning = 1,
  verbose = FALSE,
  num_thread = 1,
  ...
)

## S3 method for class 'summary.normaliw'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

## S3 method for class 'summary.normaliw'
knit_print(x, ...)
```

Arguments

<code>object</code>	A normaliw object
<code>num_chains</code>	Number of MCMC chains
<code>num_iter</code>	MCMC iteration number
<code>num_burn</code>	Number of burn-in (warm-up). Half of the iteration is the default choice.
<code>thinning</code>	Thinning every thinning-th iteration
<code>verbose</code>	Print the progress bar in the console. By default, FALSE.
<code>num_thread</code>	Number of threads
<code>...</code>	not used
<code>x</code>	summary.normaliw object
<code>digits</code>	digit option to print

Details

From Minnesota prior, set of coefficient matrices and residual covariance matrix have matrix Normal Inverse-Wishart distribution.

BVAR:

$$(A, \Sigma_e) \sim MNIW(\hat{A}, \hat{V}^{-1}, \hat{\Sigma}_e, \alpha_0 + n)$$

where $\hat{V} = X_*^T X_*$ is the posterior precision of MN.

BVHAR:

$$(\Phi, \Sigma_e) \sim MNIW(\hat{\Phi}, \hat{V}_H^{-1}, \hat{\Sigma}_e, \nu + n)$$

where $\hat{V}_H = X_+^T X_+$ is the posterior precision of MN.

Value

summary.normaliw [class](#) has the following components:

names Variable names
totobs Total number of the observation
obs Sample size used when training = totobs - p
p Lag of VAR
m Dimension of the data
call Matched call
spec Model specification (bvhar-spec)
mn_mean MN Mean of posterior distribution (MN-IW)
mn_prec MN Precision of posterior distribution (MN-IW)
iw_scale IW scale of posterior distribution (MN-IW)
iw_shape IW df of posterior distribution (MN-IW)

iter Number of MCMC iterations
burn Number of MCMC burn-in
thin MCMC thinning
alpha_record (BVAR) and phi_record (BVHAR) MCMC record of coefficients vector
psi_record MCMC record of upper cholesky factor
omega_record MCMC record of diagonal of cholesky factor
eta_record MCMC record of upper part of cholesky factor
param MCMC record of every parameter
coefficients Posterior mean of coefficients
covmat Posterior mean of covariance

References

Litterman, R. B. (1986). *Forecasting with Bayesian Vector Autoregressions: Five Years of Experience*. Journal of Business & Economic Statistics, 4(1), 25.

Bañibura, M., Giannone, D., & Reichlin, L. (2010). *Large Bayesian vector auto regressions*. Journal of Applied Econometrics, 25(1).

summary.varlse

Summarizing Vector Autoregressive Model

Description

summary method for varlse class.

Usage

```
## S3 method for class 'varlse'
summary(object, ...)

## S3 method for class 'summary.varlse'
print(x, digits = max(3L, getOption("digits") - 3L), signif_code = TRUE, ...)

## S3 method for class 'summary.varlse'
knit_print(x, ...)
```

Arguments

object	A varlse object
...	not used
x	summary.varlse object
digits	digit option to print
signif_code	Check significant rows (Default: TRUE)

Value

summary.varlse [class](#) additionally computes the following

names	Variable names
totobs	Total number of the observation
obs	Sample size used when training = totobs - p
p	Lag of VAR
coefficients	Coefficient Matrix
call	Matched call
process	Process: VAR
covmat	Covariance matrix of the residuals
corrmatrix	Correlation matrix of the residuals
roots	Roots of characteristic polynomials
is_stable	Whether the process is stable or not based on roots
log_lik	log-likelihood
ic	Information criteria vector

- AIC - AIC
- BIC - BIC
- HQ - HQ
- FPE - FPE

References

Lütkepohl, H. (2007). *New Introduction to Multiple Time Series Analysis*. Springer Publishing.

summary.vharlse	<i>Summarizing Vector HAR Model</i>
-----------------	-------------------------------------

Description

summary method for vharlse class.

Usage

```
## S3 method for class 'vharlse'
summary(object, ...)

## S3 method for class 'summary.vharlse'
print(x, digits = max(3L, getOption("digits") - 3L), signif_code = TRUE, ...)

## S3 method for class 'summary.vharlse'
knit_print(x, ...)
```

Arguments

object	A vharlse object
...	not used
x	summary.vharlse object
digits	digit option to print
signif_code	Check significant rows (Default: TRUE)

Value

summary.vharlse [class](#) additionally computes the following

names	Variable names
totobs	Total number of the observation
obs	Sample size used when training = totobs - p
p	3
week	Order for weekly term
month	Order for monthly term
coefficients	Coefficient Matrix
call	Matched call
process	Process: VAR
covmat	Covariance matrix of the residuals
corrmat	Correlation matrix of the residuals
roots	Roots of characteristic polynomials
is_stable	Whether the process is stable or not based on roots
log_lik	log-likelihood
ic	Information criteria vector

- AIC - AIC
- BIC - BIC
- HQ - HQ
- FPE - FPE

References

- Lütkepohl, H. (2007). *New Introduction to Multiple Time Series Analysis*. Springer Publishing.
- Corsi, F. (2008). *A Simple Approximate Long-Memory Model of Realized Volatility*. Journal of Financial Econometrics, 7(2), 174-196.
- Baek, C. and Park, M. (2021). *Sparse vector heterogeneous autoregressive modeling for realized volatility*. J. Korean Stat. Soc. 50, 495-510.

VARtoVMA

*Convert VAR to VMA(infinite)***Description**

Convert VAR process to infinite vector MA process

Usage

```
VARtoVMA(object, lag_max)
```

Arguments

object	A varlse object
lag_max	Maximum lag for VMA

Details

Let VAR(p) be stable.

$$Y_t = c + \sum_{j=0} W_j Z_{t-j}$$

For VAR coefficient $B_1, B_2, \dots, B_p$,

$$I = (W_0 + W_1 L + W_2 L^2 + \dots +) (I - B_1 L - B_2 L^2 - \dots - B_p L^p)$$

Recursively,

$$W_0 = I$$

$$W_1 = W_0 B_1 (W_1^T = B_1^T W_0^T)$$

$$W_2 = W_1 B_1 + W_0 B_2 (W_2^T = B_1^T W_1^T + B_2^T W_0^T)$$

$$W_j = \sum_{j=1}^k W_{k-j} B_j (W_j^T = \sum_{j=1}^k B_j^T W_{k-j}^T)$$

Value

VMA coefficient of $k(\text{lag_max} + 1) \times k$ dimension

References

Lütkepohl, H. (2007). *New Introduction to Multiple Time Series Analysis*. Springer Publishing.

var_bayes

*Fitting Bayesian VAR with Coefficient and Covariance Prior***Description**

[Maturing] This function fits BVAR. Covariance term can be homoskedastic or heteroskedastic (stochastic volatility). It can have Minnesota, SSVS, and Horseshoe prior.

Usage

```
var_bayes(
  y,
  p,
  exogen = NULL,
  s = 0,
  num_chains = 1,
  num_iter = 1000,
  num_burn = floor(num_iter/2),
  thinning = 1,
  coef_spec = set_bvar(),
  contem_spec = coef_spec,
  cov_spec = set_ldlt(),
  intercept = set_intercept(),
  exogen_spec = coef_spec,
  include_mean = TRUE,
  minnesota = TRUE,
  ggl = TRUE,
  save_init = FALSE,
  convergence = NULL,
  verbose = FALSE,
  num_thread = 1
)

## S3 method for class 'bvarsv'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

## S3 method for class 'bvarldlt'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

## S3 method for class 'bvarsv'
knit_print(x, ...)

## S3 method for class 'bvarldlt'
knit_print(x, ...)
```

Arguments

y Time series data of which columns indicate the variables

p	VAR lag
exogen	Unmodeled variables
s	Lag of exogeneous variables in VARX(p, s). By default, s = 0.
num_chains	Number of MCMC chains
num_iter	MCMC iteration number
num_burn	Number of burn-in (warm-up). Half of the iteration is the default choice.
thinning	Thinning every thinning-th iteration
coef_spec	Coefficient prior specification by set_bvar() , set_ssvs() , or set_horseshoe() .
contem_spec	Contemporaneous coefficient prior specification by set_bvar() , set_ssvs() , or set_horseshoe() .
cov_spec	[Experimental] SV specification by set_sv() .
intercept	[Experimental] Prior for the constant term by set_intercept() .
exogen_spec	Exogenous coefficient prior specification.
include_mean	Add constant term (Default: TRUE) or not (FALSE)
minnesota	Apply cross-variable shrinkage structure (Minnesota-way). By default, TRUE.
ggl	If TRUE (default), use additional group shrinkage parameter for group structure. Otherwise, use group shrinkage parameter instead of global shrinkage parameter. Applies to HS, NG, and DL priors.
save_init	Save every record starting from the initial values (TRUE). By default, exclude the initial values in the record (FALSE), even when num_burn = 0 and thinning = 1. If num_burn > 0 or thinning != 1, this option is ignored.
convergence	Convergence threshold for rhat < convergence. By default, NULL which means no warning.
verbose	Print the progress bar in the console. By default, FALSE.
num_thread	Number of threads
x	bvarldlt object
digits	digit option to print
...	not used

Details

Cholesky stochastic volatility modeling for VAR based on

$$\Sigma_t^{-1} = L^T D_t^{-1} L$$

, and implements corrected triangular algorithm for Gibbs sampler.

Value

var_bayes() returns an object named `bvarsv` [class](#).

coefficients Posterior mean of coefficients.

chol_posterior Posterior mean of contemporaneous effects.

param Every set of MCMC trace.

param_names Name of every parameter.

group Indicators for group.

num_group Number of groups.

df Numer of Coefficients: $3m + 1$ or $3m$

p VAR lag

m Dimension of the data

obs Sample size used when training = totobs - p

totobs Total number of the observation

call Matched call

process Description of the model, e.g. VHAR_SSVS_SV, VHAR_Horseshoe_SV, or VHAR_minnesota-part_SV

type include constant term (const) or not (none)

spec Coefficients prior specification

sv log volatility prior specification

intercept Intercept prior specification

init Initial values

chain The numer of chains

iter Total iterations

burn Burn-in

thin Thinning

y0 Y_0

design X_0

y Raw input

If it is SSVS or Horseshoe:

pip Posterior inclusion probabilities.

References

- Carriero, A., Chan, J., Clark, T. E., & Marcellino, M. (2022). *Corrigendum to “Large Bayesian vector autoregressions with stochastic volatility and non-conjugate priors” [J. Econometrics 212 (1)(2019) 137-154]*. *Journal of Econometrics*, 227(2), 506-512.
- Chan, J., Koop, G., Poirier, D., & Tobias, J. (2019). *Bayesian Econometric Methods (2nd ed., Econometric Exercises)*. Cambridge: Cambridge University Press.
- Cogley, T., & Sargent, T. J. (2005). *Drifts and volatilities: monetary policies and outcomes in the post WWII US*. *Review of Economic Dynamics*, 8(2), 262-302.
- Gruber, L., & Kastner, G. (2022). *Forecasting macroeconomic data with Bayesian VARs: Sparse or dense? It depends! arXiv*.
- Huber, F., Koop, G., & Onorante, L. (2021). *Inducing Sparsity and Shrinkage in Time-Varying Parameter Models*. *Journal of Business & Economic Statistics*, 39(3), 669-683.

Korobilis, D., & Shimizu, K. (2022). *Bayesian Approaches to Shrinkage and Sparse Estimation*. Foundations and Trends® in Econometrics, 11(4), 230-354.

Ray, P., & Bhattacharya, A. (2018). *Signal Adaptive Variable Selector for the Horseshoe Prior*. arXiv.

var_lm

Fitting Vector Autoregressive Model of Order p Model

Description

This function fits VAR(p) using OLS method.

Usage

```
var_lm(
  y,
  p = 1,
  exogen = NULL,
  s = 0,
  include_mean = TRUE,
  method = c("nor", "chol", "qr")
)

## S3 method for class 'varlse'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

## S3 method for class 'varlse'
logLik(object, ...)

## S3 method for class 'varlse'
AIC(object, ...)

## S3 method for class 'varlse'
BIC(object, ...)

is.varlse(x)

is.bvharmod(x)

## S3 method for class 'varlse'
knit_print(x, ...)
```

Arguments

y	Time series data of which columns indicate the variables
p	Lag of VAR (Default: 1)

exogen	Exogenous variables
s	Lag of exogeneous variables in VARX(p, s). By default, s = 0.
include_mean	Add constant term (Default: TRUE) or not (FALSE)
method	Method to solve linear equation system. (nor: normal equation (default), chol: Cholesky, and qr: HouseholderQR)
x	Any object
digits	digit option to print
...	not used
object	A var1se object

Details

This package specifies VAR(p) model as

$$Y_t = A_1 Y_{t-1} + \cdots + A_p Y_{t-p} + c + \epsilon_t$$

If include_type = TRUE, there is constant term. The function estimates every coefficient matrix.

Consider the response matrix Y_0 . Let T be the total number of sample, let m be the dimension of the time series, let p be the order of the model, and let $n = T - p$. Likelihood of VAR(p) has

$$Y_0 \mid B, \Sigma_e \sim MN(X_0 B, I_s, \Sigma_e)$$

where X_0 is the design matrix, and MN is **matrix normal distribution**.

Then log-likelihood of vector autoregressive model family is specified by

$$\log p(Y_0 \mid B, \Sigma_e) = -\frac{nm}{2} \log 2\pi - \frac{n}{2} \log \det \Sigma_e - \frac{1}{2} \text{tr}((Y_0 - X_0 B) \Sigma_e^{-1} (Y_0 - X_0 B)^T)$$

In addition, recall that the OLS estimator for the matrix coefficient matrix is the same as MLE under the Gaussian assumption. MLE for Σ_e has different denominator, n .

$$\begin{aligned} \hat{B} &= \hat{B}^{LS} = \hat{B}^{ML} = (X_0^T X_0)^{-1} X_0^T Y_0 \\ \hat{\Sigma}_e &= \frac{1}{s - k} (Y_0 - X_0 \hat{B})^T (Y_0 - X_0 \hat{B}) \\ \tilde{\Sigma}_e &= \frac{1}{s} (Y_0 - X_0 \hat{B})^T (Y_0 - X_0 \hat{B}) = \frac{s - k}{s} \hat{\Sigma}_e \end{aligned}$$

Let $\tilde{\Sigma}_e$ be the MLE and let $\hat{\Sigma}_e$ be the unbiased estimator (covmat) for Σ_e . Note that

$$\tilde{\Sigma}_e = \frac{n - k}{n} \hat{\Sigma}_e$$

Then

$$AIC(p) = \log \det \Sigma_e + \frac{2}{n} (\text{number of freely estimated parameters})$$

where the number of freely estimated parameters is mk , i.e. pm^2 or $pm^2 + m$.

Let $\tilde{\Sigma}_e$ be the MLE and let $\hat{\Sigma}_e$ be the unbiased estimator (covmat) for Σ_e . Note that

$$\tilde{\Sigma}_e = \frac{n-k}{T} \hat{\Sigma}_e$$

Then

$$BIC(p) = \log \det \Sigma_e + \frac{\log n}{n} (\text{number of freely estimated parameters})$$

where the number of freely estimated parameters is pm^2 .

Value

`var_lm()` returns an object named `varlse` [class](#). It is a list with the following components:

coefficients Coefficient Matrix
fitted.values Fitted response values
residuals Residuals
covmat LS estimate for covariance matrix
df Numer of Coefficients
p Lag of VAR
m Dimension of the data
obs Sample size used when training = `totobs` - `p`
totobs Total number of the observation
call Matched call
process Process: VAR
type include constant term (`const`) or not (`none`)
design Design matrix
y Raw input
y0 Multivariate response matrix
method Solving method
call Matched call

It is also a `bvharmod` class.

References

- Lütkepohl, H. (2007). *New Introduction to Multiple Time Series Analysis*. Springer Publishing.
- Akaike, H. (1969). *Fitting autoregressive models for prediction*. Ann Inst Stat Math 21, 243-247.
- Akaike, H. (1971). *Autoregressive model fitting for control*. Ann Inst Stat Math 23, 163-180.
- Akaike H. (1974). *A new look at the statistical model identification*. IEEE Transactions on Automatic Control, vol. 19, no. 6, pp. 716-723.
- Akaike H. (1998). *Information Theory and an Extension of the Maximum Likelihood Principle*. In: Parzen E., Tanabe K., Kitagawa G. (eds) Selected Papers of Hirotugu Akaike. Springer Series in Statistics (Perspectives in Statistics). Springer, New York, NY.
- Gideon Schwarz. (1978). *Estimating the Dimension of a Model*. Ann. Statist. 6 (2) 461 - 464.

See Also

- `summary.varlse()` to summarize VAR model

Examples

```
# Perform the function using etf_vix dataset
fit <- var_lm(y = etf_vix, p = 2)
class(fit)
str(fit)

# Extract coef, fitted values, and residuals
coef(fit)
head(residuals(fit))
head(fitted(fit))
```

VHARtoVMA

Convert VHAR to VMA(infinite)

Description

Convert VHAR process to infinite vector MA process

Usage

```
VHARtoVMA(object, lag_max)
```

Arguments

<code>object</code>	A <code>varlse</code> object
<code>lag_max</code>	Maximum lag for VMA

Details

Let VAR(p) be stable and let VAR(p) be $Y_0 = X_0 B + Z$

VHAR is VAR(22) with

$$Y_0 = X_1 B + Z = ((X_0 \tilde{T}^T)) \Phi + Z$$

Observe that

$$B = \tilde{T}^T \Phi$$

Value

VMA coefficient of k(lag-max + 1) x k dimension

References

Lütkepohl, H. (2007). *New Introduction to Multiple Time Series Analysis*. Springer Publishing.

vhar_bayes

Fitting Bayesian VHAR with Coefficient and Covariance Prior

Description

[Maturing] This function fits BVHAR. Covariance term can be homoskedastic or heteroskedastic (stochastic volatility). It can have Minnesota, SSVS, and Horseshoe prior.

Usage

```
vhar_bayes(
  y,
  har = c(5, 22),
  exogen = NULL,
  s = 0,
  num_chains = 1,
  num_iter = 1000,
  num_burn = floor(num_iter/2),
  thinning = 1,
  coef_spec = set_bvhar(),
  contem_spec = coef_spec,
  cov_spec = set_ldlt(),
  intercept = set_intercept(),
  exogen_spec = coef_spec,
  include_mean = TRUE,
  minnesota = c("longrun", "short", "no"),
  ggl = TRUE,
  save_init = FALSE,
  convergence = NULL,
  verbose = FALSE,
  num_thread = 1
```

```

)

## S3 method for class 'bvharstv'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

## S3 method for class 'bvharldlt'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

## S3 method for class 'bvharstv'
knit_print(x, ...)

## S3 method for class 'bvharldlt'
knit_print(x, ...)

```

Arguments

y	Time series data of which columns indicate the variables
har	Numeric vector for weekly and monthly order. By default, c(5, 22).
exogen	Unmodeled variables
s	Lag of exogeneous variables in VARX(p, s). By default, s = 0.
num_chains	Number of MCMC chains
num_iter	MCMC iteration number
num_burn	Number of burn-in (warm-up). Half of the iteration is the default choice.
thinning	Thinning every thinning-th iteration
coef_spec	Coefficient prior specification by set_bvar() , set_ssvs() , or set_horseshoe() .
contem_spec	Contemporaneous coefficient prior specification by set_bvar() , set_ssvs() , or set_horseshoe() .
cov_spec	[Experimental] SV specification by set_sv() .
intercept	[Experimental] Prior for the constant term by set_intercept() .
exogen_spec	Exogenous coefficient prior specification.
include_mean	Add constant term (Default: TRUE) or not (FALSE)
minnesota	Apply cross-variable shrinkage structure (Minnesota-way). Two type: short type and longrun (default) type. You can also set no.
ggl	If TRUE (default), use additional group shrinkage parameter for group structure. Otherwise, use group shrinkage parameter instead of global shrinkage parameter. Applies to HS, NG, and DL priors.
save_init	Save every record starting from the initial values (TRUE). By default, exclude the initial values in the record (FALSE), even when num_burn = 0 and thinning = 1. If num_burn > 0 or thinning != 1, this option is ignored.
convergence	Convergence threshold for rhat < convergence. By default, NULL which means no warning.
verbose	Print the progress bar in the console. By default, FALSE.
num_thread	Number of threads

x	bvharldlt object
digits	digit option to print
...	not used

Details

Cholesky stochastic volatility modeling for VHAR based on

$$\Sigma_t^{-1} = L^T D_t^{-1} L$$

Value

vhar_bayes() returns an object named bvhar`sv` [class](#). It is a list with the following components:

coefficients Posterior mean of coefficients.

chol_posterior Posterior mean of contemporaneous effects.

param Every set of MCMC trace.

param_names Name of every parameter.

group Indicators for group.

num_group Number of groups.

df Numer of Coefficients: $3m + 1$ or $3m$

p 3 (The number of terms. It contains this element for usage in other functions.)

week Order for weekly term

month Order for monthly term

m Dimension of the data

obs Sample size used when training = totobs - p

totobs Total number of the observation

call Matched call

process Description of the model, e.g. VHAR_SSVS_SV, VHAR_Horseshoe_SV, or VHAR_minnesota-part_SV

type include constant term (const) or not (none)

spec Coefficients prior specification

sv log volatility prior specification

init Initial values

intercept Intercept prior specification

chain The numer of chains

iter Total iterations

burn Burn-in

thin Thinning

HARtrans VHAR linear transformation matrix

y0 Y_0

design X_0

y Raw input

If it is SSVS or Horseshoe:

pip Posterior inclusion probabilities.

References

Kim, Y. G., and Baek, C. (2024). *Bayesian vector heterogeneous autoregressive modeling*. Journal of Statistical Computation and Simulation, 94(6), 1139-1157.

Kim, Y. G., and Baek, C. (n.d.). Working paper.

vhar_lm	<i>Fitting Vector Heterogeneous Autoregressive Model</i>
---------	--

Description

This function fits VHAR using OLS method.

Usage

```
vhar_lm(  
  y,  
  har = c(5, 22),  
  exogen = NULL,  
  s = 0,  
  include_mean = TRUE,  
  method = c("nor", "chol", "qr")  
)  
  
## S3 method for class 'vharlse'  
print(x, digits = max(3L, getOption("digits") - 3L), ...)  
  
## S3 method for class 'vharlse'  
logLik(object, ...)  
  
## S3 method for class 'vharlse'  
AIC(object, ...)  
  
## S3 method for class 'vharlse'  
BIC(object, ...)  
  
is.vharlse(x)  
  
## S3 method for class 'vharlse'  
knit_print(x, ...)
```

Arguments

- y Time series data of which columns indicate the variables
- har Numeric vector for weekly and monthly order. By default, c(5, 22).
- exogen Exogenous variables

<code>s</code>	Lag of exogeneous variables in VHARX. By default, <code>s = 0</code> .
<code>include_mean</code>	Add constant term (Default: TRUE) or not (FALSE)
<code>method</code>	Method to solve linear equation system. (nor: normal equation (default), chol: Cholesky, and qr: HouseholderQR)
<code>x</code>	Any object
<code>digits</code>	digit option to print
<code>...</code>	not used
<code>object</code>	A <code>vharlse</code> object

Details

For VHAR model

$$Y_t = \Phi^{(d)} Y_{t-1} + \Phi^{(w)} Y_{t-1}^{(w)} + \Phi^{(m)} Y_{t-1}^{(m)} + \epsilon_t$$

the function gives basic values.

Value

`vhar_lm()` returns an object named `vharlse` [class](#). It is a list with the following components:

coefficients Coefficient Matrix
fitted.values Fitted response values
residuals Residuals
covmat LS estimate for covariance matrix
df Numer of Coefficients
m Dimension of the data
obs Sample size used when training = `totobs - month`
y0 Multivariate response matrix
p 3 (The number of terms. `vharlse` contains this element for usage in other functions.)
week Order for weekly term
month Order for monthly term
totobs Total number of the observation
process Process: VHAR
type include constant term (`const`) or not (`none`)
HARtrans VHAR linear transformation matrix
design Design matrix of VAR(month)
y Raw input
method Solving method
call Matched call

It is also a `bvharmod` class.

References

- Baek, C. and Park, M. (2021). *Sparse vector heterogeneous autoregressive modeling for realized volatility*. J. Korean Stat. Soc. 50, 495-510.
- Bubák, V., Kočenda, E., & Žikeš, F. (2011). *Volatility transmission in emerging European foreign exchange markets*. Journal of Banking & Finance, 35(11), 2829-2841.
- Corsi, F. (2008). *A Simple Approximate Long-Memory Model of Realized Volatility*. Journal of Financial Econometrics, 7(2), 174-196.

See Also

- `coef.vharlse()`, `residuals.vharlse()`, and `fitted.vharlse()`
- `summary.vharlse()` to summarize VHAR model

Examples

```
# Perform the function using etf_vix dataset
fit <- vhar_lm(y = etf_vix)
class(fit)
str(fit)

# Extract coef, fitted values, and residuals
coef(fit)
head(residuals(fit))
head(fitted(fit))
```

Index

* datasets

etf_vix, 33

AIC.bvarflat (bvar_flat), 10
AIC.bvarmn (bvar_minnesota), 12
AIC.bvharmn (bvhar_minnesota), 15
AIC.varlse (var_lm), 99
AIC.vharlse (vhar_lm), 106
alpl, 3
autolayer.predbvhar
 (autoplot.predbvhar), 7
autoplot.bvhardynsp, 4
autoplot.bvharirf, 5
autoplot.bvharsp, 5
autoplot.normaliw, 6
autoplot.predbvhar, 7
autoplot.summary.bvharsp, 8
autoplot.summary.normaliw, 8

bayesplot::mcmc_areas(), 6, 9
bayesplot::mcmc_dens(), 6, 9
bayesplot::mcmc_trace(), 6, 9
BIC.bvarflat (bvar_flat), 10
BIC.bvarmn (bvar_minnesota), 12
BIC.bvharmn (bvhar_minnesota), 15
BIC.varlse (var_lm), 99
BIC.vharlse (vhar_lm), 106
bound_bvhar, 9
bound_bvhar(), 19
bvar_flat, 10
bvar_flat(), 67
bvar_minnesota, 12
bvar_minnesota(), 19, 67
bvhar_minnesota, 15
bvhar_minnesota(), 19, 67

choose_bayes, 18
choose_bayes(), 20
choose_bvar, 20
choose_bvar(), 19

choose_bvhar (choose_bvar), 20
choose_var, 22
class, 10, 11, 14, 17, 19, 21, 37, 40, 46, 55,
 67, 91, 93, 94, 97, 101, 105, 107
coef, 22
coef(), 85, 86
coef.bvarflat(), 12
coef.vharlse(), 108
compute_dic, 23
compute_logml, 24
conf_fdr, 26
conf_fnr, 27
conf_fscore, 28
conf_prec, 29
conf_recall, 30
confusion, 25
confusion(), 26–30

divide_ts, 31
divide_ts(), 37, 39
dynamic_spillover, 31

etf_vix, 33

fitted, 34
fitted.bvarflat(), 12
fitted.vharlse(), 108
foreach::foreach(), 22
forecast_expand, 35
forecast_roll, 38
FPE, 40
fromse, 41

geom_eval, 42
gg_loss, 43
ggplot2::facet_grid(), 7
ggplot2::facet_wrap(), 4, 7, 43
ggplot2::geom_hline(), 43
ggplot2::geom_path(), 5, 7, 42, 43
ggplot2::geom_tile(), 8

- ggplot2::scale_colour_viridis_d, 7, 43
- ggplot2::scale_fill_viridis_d(), 7, 43
- HQ, 44
- irf (irf.varlse), 45
- irf(), 5
- irf.varlse, 45
- is.boundbvharemp (bound_bvhar), 9
- is.bvarflat (bvar_flat), 10
- is.bvarmn (bvar_minnesota), 12
- is.bvharcv (forecast_roll), 38
- is.bvharemp (choose_bvar), 20
- is.bvharirf (irf.varlse), 45
- is.bvharmn (bvhar_minnesota), 15
- is.bvharmod (var_lm), 99
- is.bvharpriorspec (set_lambda), 72
- is.bvharspec (set_bvar), 66
- is.covspec (set_ldlt), 74
- is.dlspec (set_dl), 69
- is.gdpspec (set_gdp), 70
- is.horseshoespec (set_horseshoe), 70
- is.interceptspec (set_intercept), 72
- is.ldltspec (set_ldlt), 74
- is.ngspec (set_ng), 75
- is.predbvhar (predict), 53
- is.ssvsinput (set_ssvs), 76
- is.stable, 47
- is.svspec (set_ldlt), 74
- is.varlse (var_lm), 99
- is.vharlse (vhar_lm), 106
- knit_print.boundbvharemp (bound_bvhar), 9
- knit_print.bvarflat (bvar_flat), 10
- knit_print.bvarhm (bvar_minnesota), 12
- knit_print.bvarldlt (var_bayes), 96
- knit_print.bvarmn (bvar_minnesota), 12
- knit_print.bvarsv (var_bayes), 96
- knit_print.bvharcv (forecast_roll), 38
- knit_print.bvhardynsp (dynamic_spillover), 31
- knit_print.bvharemp (choose_bvar), 20
- knit_print.bvharhm (bvhar_minnesota), 15
- knit_print.bvharirf (irf.varlse), 45
- knit_print.bvharldlt (vhar_bayes), 103
- knit_print.bvharmn (bvhar_minnesota), 15
- knit_print.bvharpriorspec (set_lambda), 72
- knit_print.bvharspec (set_bvar), 66
- knit_print.bvharspillover (spillover), 87
- knit_print.bvharsv (vhar_bayes), 103
- knit_print.horseshoespec (set_horseshoe), 70
- knit_print.interceptspec (set_intercept), 72
- knit_print.predbvhar (predict), 53
- knit_print.ssvsinput (set_ssvs), 76
- knit_print.summary.bvharsp (print.summary.bvharsp), 58
- knit_print.summary.normaliw (summary.normaliw), 90
- knit_print.summary.varlse (summary.varlse), 92
- knit_print.summary.vharlse (summary.vharlse), 93
- knit_print.varlse (var_lm), 99
- knit_print.vharlse (vhar_lm), 106
- logLik.bvarflat (bvar_flat), 10
- logLik.bvarmn (bvar_minnesota), 12
- logLik.bvharmn (bvhar_minnesota), 15
- logLik.varlse (var_lm), 99
- logLik.vharlse (vhar_lm), 106
- mae, 48
- mae(), 44
- mape, 49
- mape(), 44
- mase, 50
- mase(), 44
- matrix, 23, 35, 61
- mrae, 51
- mse, 52
- mse(), 44
- optimParallel::optimParallel(), 13, 16, 19, 21
- predict, 53
- predict.bvarflat(), 12
- print.boundbvharemp (bound_bvhar), 9
- print.bvarflat (bvar_flat), 10
- print.bvarhm (bvar_minnesota), 12
- print.bvarldlt (var_bayes), 96
- print.bvarmn (bvar_minnesota), 12
- print.bvarsv (var_bayes), 96

print.bvharcv (forecast_roll), 38
 print.bvhardynsp (dynamic_spillover), 31
 print.bvharemp (choose_bvar), 20
 print.bvharhm (bvhar_minnesota), 15
 print.bvharirf (irf.varlse), 45
 print.bvharldlt (vhar_bayes), 103
 print.bvharlm (bvhar_minnesota), 15
 print.bvharriorspec (set_lambda), 72
 print.bvharspec (set_bvar), 66
 print.bvharspillover (spillover), 87
 print.bvharsv (vhar_bayes), 103
 print.covspec (set_ldlt), 74
 print.dlspec (set_dl), 69
 print.horseshoespec (set_horseshoe), 70
 print.interceptspec (set_intercept), 72
 print.ngspec (set_ng), 75
 print.predbvhar (predict), 53
 print.ssvsinput (set_ssvs), 76
 print.summary.bvharsp, 58
 print.summary.normaliw
 (summary.normaliw), 90
 print.summary.varlse (summary.varlse),
 92
 print.summary.vharlse
 (summary.vharlse), 93
 print.varlse (var_lm), 99
 print.vharlse (vhar_lm), 106

 relmae, 59
 relspne, 60
 residuals, 61
 residuals.bvarflat(), 12
 residuals.vharlse(), 108
 rmafe, 61
 rmap, 63
 rmase, 64
 rmsfe, 65

 set_bvar, 66
 set_bvar(), 9, 13, 15, 21, 73, 80, 97, 104
 set_bvar_flat (set_bvar), 66
 set_bvar_flat(), 11, 12
 set_bvhar (set_bvar), 66
 set_bvhar(), 9, 16–18, 21, 73, 83
 set_dl, 69
 set_gdp, 70
 set_horseshoe, 70
 set_horseshoe(), 97, 104
 set_intercept, 72
 set_intercept(), 97, 104
 set_lambda, 72
 set_lambda(), 67, 68
 set_ldlt, 74
 set_ldlt(), 75
 set_ng, 75
 set_psi (set_lambda), 72
 set_psi(), 67, 68
 set_ssvs, 76
 set_ssvs(), 97, 104
 set_sv (set_ldlt), 74
 set_sv(), 74, 75, 97, 104
 set_weight_bvhar (set_bvar), 66
 set_weight_bvhar(), 9, 16–18, 21, 73, 83
 sim_iw, 78
 sim_matgaussian, 79
 sim_mncoef, 80
 sim_mniw, 81
 sim_mnormal, 82
 sim_mnvhar_coef, 83
 sim_mvt, 84
 sim_var, 85
 sim_vhar, 86
 spillover, 87
 spne, 88
 stableroot, 89
 stats::AIC(), 45
 stats::approx(), 33
 stats::coef(), 22
 stats::fitted(), 34
 stats::optim(), 18, 19, 21, 73
 stats::residuals(), 61
 summary.bvharsp
 (print.summary.bvharsp), 58
 summary.hsmod (print.summary.bvharsp),
 58
 summary.ngmod (print.summary.bvharsp),
 58
 summary.normaliw, 90
 summary.normaliw(), 15, 18
 summary.ssvsmod
 (print.summary.bvharsp), 58
 summary.varlse, 92
 summary.varlse(), 102
 summary.vharlse, 93
 summary.vharlse(), 108

 var_bayes, 96
 var_lm, 99

`var_lm()`, [85](#), [86](#)
`VARtoVMA`, [95](#)
`VARtoVMA()`, [47](#)
`vhar_bayes`, [103](#)
`vhar_lm`, [106](#)
`VHARtoVMA`, [102](#)
`VHARtoVMA()`, [47](#)